

**TUFF**  
**GRADE**

# INDEX

Aerosol Chemicals	27
Air Hose	19
Air Tools	17 - 18
Ball Valves, Brass	19
Barricade Tape	27
Batteries, Alkaline	23
Bolt Cutter	13
Burrs, Carbide	6
Caliper, Digital	16
Casters	25
C-Clamps	13
Chisels	14
Cut-Off Wheels	5
Dial Indicators	16
Drill Bits	1 - 5
Extension Cords	21 - 22
Flashlights	23
Gloves	29
Grease Gun	15
Hacksaw	10
Hammer, Sledge	13
Hand Cleaner	23
Hand Trucks	24
Hose Clamps	20

Knives, Utility	11
Levels	12
Magnetic Pick-up	11
Magnetic Stand	16
Micrometer	16
Paint Brushes	26
Paint Rollers	26
Pallet Truck	24
Pliers	10
Punches	14
Ratchet Straps	24
Rope	23
Screwdrivers	11
Sockets, Deep Impact	8
Step Drills	1
Tape Measure	12
Tarps	22
Traffic Cones	28
Traffic Vests	28
Vises, Mechanics	15
Wrecking Bars	14
Wrenches, Adjustable	9
Wrenches, Combination	7 - 8
Wrenches, Pipe	9

**WARRANTY** - All Tuff Grade branded products are guaranteed against defects in workmanship and materials. All hand tools and air tools have a one year replacement warranty on defective products when the tool is used for the purpose for which it was designed. Any Tuff Grade product that fails within the specified warranty period will be repaired or replaced, at IDI's discretion, at no charge to the end-user. All warranties are void if there is evidence of misuse, abuse or alteration of the product in any way. Incidental or consequential damages are excluded from this warranty.

**WARRANTY PROCEDURE** - Tuff Grade products being submitted for a warranty claim should be returned to place of purchase with proof of purchase and an explanation of the defect.

## STEP DRILLS

HSS Step Drill Bits - Material: M2 - TIN Coated



Order Number	Size Range	Steps	Increments
TGDB-10231	1/8" - 1/2"	13	1/32"
TGDB-10232	3/16" - 1/2"	6	1/16"
TGDB-10233	1/4" - 3/4"	9	1/16"
TGDB-10234	3/16" - 7/8"	12	1/16"
TGDB-10235	1/4" - 1-3/8"	10	1/8"

## DRILL BIT SETS AND ACCESSORIES

29 Piece Jobber Drill Bit Set (Metal Case)  
Two Tone (Black/Gold) Finish  
135° Split Point M2 High Speed Steel DIN338  
Size Range: 1/16" to 1/2" (by 1/16" sizes)



Order Number	Description
TGDB-04-29-S	29 Piece Jobber Drill Bit Set

29 Piece Jobber Drill Bit Set (Metal Case)  
Black Oxide Finish  
135° Split Point M2 High Speed Steel DIN338  
Size Range: 1/16" to 1/2" (by 1/16" sizes)



Order Number	Description
TGDB-02-29S	29 Piece Jobber Drill Bit Set

Drill Bit Cabinet for 29 Fractional Sizes  
Lockable Front & Rear Plexi-glass Doors



Order Number	Description
TG-DB-BOX	Drill Bit Cabinet for 29 Fractional Sizes

## JOBBER DRILL BITS

M2 High Speed Steel DIN338

135° Split Point

Two Tone (Black/Gold) Finish



Order Number	Diameter	Flute Length	Overall Length
TGDB-04-0015	1/64"	3/16"	13/16"
TGDB-04-0031	1/32"	3/8"	1-3/16"
TGDB-04-0046	3/64"	5/8"	1-1/2"
TGDB-04-0063	1/16"	13/16"	1-11/16"
TGDB-04-0078	5/64"	15/16"	1-15/16"
TGDB-04-0094	3/32"	1-3/16"	2-1/4"
TGDB-04-0109	7/64"	1-5/16"	2-3/8"
TGDB-04-0125	1/8"	1-7/16"	2-9/16"
TGDB-04-0140	9/64"	1-9/16"	2-3/4"
TGDB-04-0156	5/32"	1-11/16"	2-15/16"
TGDB-04-0171	11/64"	1-7/8"	3-1/8"
TGDB-04-0187	3/16"	2-1/16"	3-3/8"
TGDB-04-0203	13/64"	2-1/16"	3-3/8"
TGDB-04-0218	7/32"	2-1/4"	3-11/16"
TGDB-04-0234	15/64"	2-1/4"	3-11/16"
TGDB-04-0250	1/4"	2-1/2"	4"
TGDB-04-0267	17/64"	2-11/16"	4-5/16"
TGDB-04-0281	9/32"	2-11/16"	4-5/16"
TGDB-04-0297	19/64"	2-15/16"	4-5/8"
TGDB-04-0313	5/16"	2-15/16"	4-5/8"
TGDB-04-0328	21/64"	2-15/16"	4-5/8"
TGDB-04-0344	11/32"	3-3/16"	4-15/16"
TGDB-04-0359	23/64"	3-3/16"	4-15/16"
TGDB-04-0375	3/8"	3-7/16"	5-1/4"
TGDB-04-0390	25/64"	3-7/16"	5-1/4"
TGDB-04-0406	13/32"	3-7/16"	5-1/4"
TGDB-04-0422	27/64"	3-11/16"	5-9/16"
TGDB-04-0438	7/16"	3-11/16"	5-9/16"
TGDB-04-0453	29/64"	3-11/16"	5-9/16"
TGDB-04-0469	15/32"	4"	5-15/16"
TGDB-04-0484	31/64"	4"	5-15/16"
TGDB-04-0500	1/2"	4"	5-15/16"

## STUBB DRILL BITS

M2 High Speed Steel DIN338  
135° Split Point  
Black Oxide Finish



Order Number	Diameter	Flute Length	Overall Length
TGDB-01-0015	1/64"	3/16"	5/8"
TGDB-01-0031	1/32"	1/4"	7/8"
TGDB-01-0046	3/64"	5/16"	1-3/16"
TGDB-01-0063	1/16"	3/8"	1-5/16"
TGDB-01-0078	5/64"	1/2"	1-1/2"
TGDB-01-0094	3/32"	9/16"	1-11/16"
TGDB-01-0109	7/64"	5/8"	1-13/16"
TGDB-01-0125	1/8"	11/16"	1-15/16"
TGDB-01-0140	9/64"	13/16"	2-1/16"
TGDB-01-0156	5/32"	7/8"	2-3/16"
TGDB-01-0171	11/64"	15/16"	2-5/16"
TGDB-01-0187	3/16"	1"	2-7/16"
TGDB-01-0203	13/64"	1"	2-7/16"
TGDB-01-0218	7/32"	1-1/8"	2-5/8"
TGDB-01-0234	15/64"	1-1/8"	2-5/8"
TGDB-01-0250	1/4"	1-1/4"	2-3/4"
TGDB-01-0267	17/64"	1-5/16"	2-15/16"
TGDB-01-0281	9/32"	1-5/16"	2-15/16"
TGDB-01-0297	19/64"	1-7/16"	3-1/8"
TGDB-01-0313	5/16"	1-7/16"	3-1/8"
TGDB-01-0328	21/64"	1-7/16"	3-1/8"
TGDB-01-0344	11/32"	1-9/16"	3-5/16"
TGDB-01-0359	23/64"	1-9/16"	3-5/16"
TGDB-01-0375	3/8"	1-11/16"	3-1/2"
TGDB-01-0390	25/64"	1-11/16"	3-1/2"
TGDB-01-0406	13/32"	1-11/16"	3-1/2"
TGDB-01-0422	27/64"	1-7/8"	3-3/4"
TGDB-01-0438	7/16"	1-7/8"	3-3/4"
TGDB-01-0453	29/64"	1-7/8"	3-3/4"
TGDB-01-0469	15/32"	2"	4"
TGDB-01-0484	31/64"	2"	4"
TGDB-01-0500	1/2"	2"	4"

## JOBBER DRILL BITS

M2 High Speed Steel DIN338  
135° Split Point  
Black Oxide Finish



Order Number	Diameter	Flute Length	Overall Length
TGDB-02-0015	1/64"	3/16"	13/16"
TGDB-02-0031	1/32"	3/8"	1-3/16"
TGDB-02-0046	3/64"	5/8"	1-1/2"
TGDB-02-0063	1/16"	13/16"	1-11/16"
TGDB-02-0078	5/64"	15/16"	1-15/16"
TGDB-02-0094	3/32"	1-3/16"	2-1/4"
TGDB-02-0109	7/64"	1-5/16"	2-3/8"
TGDB-02-0125	1/8"	1-7/16"	2-9/16"
TGDB-02-0140	9/64"	1-9/16"	2-3/4"
TGDB-02-0156	5/32"	1-11/16"	2-15/16"
TGDB-02-0171	11/64"	1-7/8"	3-1/8"
TGDB-02-0187	3/16"	2-1/16"	3-3/8"
TGDB-02-0203	13/64"	2-1/16"	3-3/8"
TGDB-02-0218	7/32"	2-1/4"	3-11/16"
TGDB-02-0234	15/64"	2-1/4"	3-11/16"
TGDB-02-0250	1/4"	2-1/2"	4"
TGDB-02-0267	17/64"	2-11/16"	4-5/16"
TGDB-02-0281	9/32"	2-11/16"	4-5/16"
TGDB-02-0297	19/64"	2-15/16"	4-5/8"
TGDB-02-0313	5/16"	2-15/16"	4-5/8"
TGDB-02-0328	21/64"	2-15/16"	4-5/8"
TGDB-02-0344	11/32"	3-3/16"	4-15/16"
TGDB-02-0359	23/64"	3-3/16"	4-15/16"
TGDB-02-0375	3/8"	3-7/16"	5-1/4"
TGDB-02-0390	25/64"	3-7/16"	5-1/4"
TGDB-02-0406	13/32"	3-7/16"	5-1/4"
TGDB-02-0422	27/64"	3-11/16"	5-9/16"
TGDB-02-0438	7/16"	3-11/16"	5-9/16"
TGDB-02-0453	29/64"	3-11/16"	5-9/16"
TGDB-02-0469	15/32"	4"	5-15/16"
TGDB-02-0484	31/64"	4"	5-15/16"
TGDB-02-0500	1/2"	4"	5-15/16"

# Cutting Tools

## PRENTICE DRILL BITS

M2 High Speed Steel DIN338

135° Split Point

1/2" Shank with 3 Flats

Black Oxide Finish

Set include 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1



Order Number	Diameter	Flute Length	Overall Length
TGDB-09-0563	9/16"	3-1/8"	5-7/8"
TGDB-09-0625	5/8"	3-1/8"	5-7/8"
TGDB-09-0688	11/16"	3-1/8"	5-7/8"
TGDB-09-0750	3/4"	3-1/8"	5-7/8"
TGDB-09-0813	13/16"	3-1/8"	5-7/8"
TGDB-09-0875	7/8"	3-1/8"	5-7/8"
TGDB-09-0938	15/16"	3-1/8"	5-7/8"
TGDB-09-1000	1"	3-1/8"	5-7/8"

## PRENTICE DRILL BIT SET

Order Number	Description
TGDB-09-08-S	8 Piece Prentice Drill Bit Set (Metal Case)

# Abrasives



## THIN CUT-OFF WHEELS

Type 1 - Stainless Steel / Metal

Combination Wheel

Order Number	Diameter	Thickness	Arbor	Max RPM	Pack qty
TGCW-111-045	4.5"	3/64"	7/8"	13,300	25
TGCW-111-050	5.0"	3/64"	7/8"	12,200	25

## CARBIDE BURRS



Order Number	Head Diameter	Flute Length	Shape
SA-1-IDI	1/4"	5/8"	Cylindrical
SA-3-IDI	3/8"	3/4"	Cylindrical
SA-5-IDI	1/2"	1"	Cylindrical
SA-6-IDI	5/8"	1"	Cylindrical
SA-7-IDI	3/4"	1"	Cylindrical
SC-1-IDI	1/4"	5/8"	Cylindrical - Radius Cut
SC-3-IDI	3/8"	3/4"	Cylindrical - Radius Cut
SC-5-IDI	1/2"	1"	Cylindrical - Radius Cut
SC-6-IDI	5/8"	1"	Cylindrical - Radius Cut
SC-7-IDI	3/4"	1"	Cylindrical - Radius Cut
SD-1-IDI-BUR	1/4"	3/16"	Ball
SD-3-IDI	3/8"	5/16"	Ball
SD-5-IDI	1/2"	7/16"	Ball
SD-6-IDI	5/8"	9/16"	Ball
SD-7-IDI	3/4"	11/16"	Ball
SE-1-IDI	1/4"	3/8"	Oval
SE-3-IDI	3/8"	5/8"	Oval
SE-5-IDI	1/2"	7/8"	Oval
SE-6-IDI	5/8"	1"	Oval
SE-7-IDI	3/4"	1"	Oval
SF-1-IDI-BUR	1/4"	5/8"	Tree - Radius End
SF-3-IDI	3/8"	3/4"	Tree - Radius End
SF-5-IDI	1/2"	1"	Tree - Radius End
SF-6-IDI	5/8"	1"	Tree - Radius End
SF-7-IDI	3/4"	1"	Tree - Radius End
SG-1-IDI	1/4"	5/8"	Tree - Point End
SG-3-IDI	3/8"	3/4"	Tree - Point End
SG-5-IDI	1/2"	1"	Tree - Point End
SG-6-IDI	5/8"	1"	Tree - Point End
SG-7-IDI	3/4"	1"	Tree - Point End
SL-1-IDI	1/4"	5/8"	Taper - Radius End
SL-3-IDI	3/8"	1-1/16"	Taper - Radius End
SL-5-IDI	1/2"	1-1/8"	Taper - Radius End
SL-6-IDI	5/8"	1-5/16"	Taper - Radius End
SL-7-IDI	3/4"	1-1/2"	Taper - Radius End

## COMBINATION WRENCHES

Polished Mirror Finish  
Premium Canvas Pouch  
Chrome Vanadium Steel



Order Number	Description
TGCW-SET-16PC	16 Piece Combination Wrench Set - Chrome Vanadium Steel, Mirror Finish - Set Includes 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1-1/16", 1-1/8", 1-1/4" & Canvas Storage Case

Order Number	Description
TGCW-025	1/4" 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-031	5/16" 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-037	3/8" 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-044	7/16" 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-050	1/2" 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-056	9/16" 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-063	5/8" 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-069	11/16" 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-075	3/4" 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-081	13/16" 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-088	7/8" 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-094	15/16" 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-100	1" 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-106	1-1/16" 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-113	1-1/8" 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-125	1-1/4" 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-131	1-5/16" 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-137	1-3/8" 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-144	1-7/16" 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-150	1-1/2" 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-162	1-5/8" 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-168	1-11/16" 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-175	1-3/4" 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-181	1-13/16" 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-187	1-7/8" 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-200	2" 12 Point Mirror Finish Chrome Vanadium Steel

## COMBINATION WRENCHES

Chrome Vanadium Steel with Polished Mirror Finish  
Premium Canvas Pouch



Order Number	Description
TGCW-SET-14PC	14 Piece METRIC Combination Wrench Set - Chrome Vanadium Steel, Mirror Finish - Set Includes 7mm, 8mm, 10mm, 12mm, 14mm, 16mm, 17mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm & Canvas Storage Case

Order Number	Description
TGCW-M007	7mm 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-M008	8mm 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-M010	10mm 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-M012	12mm 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-M014	14mm 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-M016	16mm 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-M017	17mm 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-M020	20mm 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-M022	22mm 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-M024	24mm 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-M026	26mm 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-M028	28mm 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-M030	30mm 12 Point Mirror Finish Chrome Vanadium Steel
TGCW-M032	32mm 12 Point Mirror Finish Chrom Vanadium Steel

## 6 POINT DEEP IMPACT SOCKET SETS

Chrome - Molybdenum Alloy with Black Phosphate Finish



Order Number	Description
TGSS-001	1/2" Drive 12 pc SAE Set 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" & 1 Blow Molded Case
TGSS-002	1/2" Drive 12 pc. MET Set 10mm, 12mm, 13mm, 14mm, 15mm, 17mm, 18mm, 19mm, 21mm, 22mm, 24mm & 1 Blow Molded Case
TGSS-007	3/4" Drive 9 pc. SAE Set 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2" & 1 Blow Molded Case
TGSS-008	3/4" Drive 9 pc. MET Set 24mm, 27mm, 29mm, 30mm, 32mm, 35mm, 36mm, 38mm & 1 Blow Molded Case



## ADJUSTABLE WRENCHES

Chrome Finish - Chrome Vanadium Alloy for Strength and Durability

Order Number	Grip	Length	Max Jaw Width
IDI-AW6	Metal	6"	15/16"
IDI-AW8	Metal	8"	1-1/8"
IDI-AW10	Metal	10"	1-5/16"
IDI-AW12	Metal	12"	1-1/2"
IDI-AW15	Metal	15"	1-11/16"
IDI-AW18	Metal	18"	2-1/16"
IDI-AWC06	Cushioned	6"	15/16"
IDI-AWC08	Cushioned	8"	1-1/8"
IDI-AWC10	Cushioned	10"	1-5/16"
IDI-AWC12	Cushioned	12"	1-1/2"

## PIPE WRENCHES




Order Number	Material	Length	Pipe Capacity
TGPW-10-01	Aluminum	10"	1"
TGPW-12-01	Aluminum	12"	1-1/2"
TGPW-14-01	Aluminum	14"	2"
TGPW-18-01	Aluminum	18"	2-1/2"
TGPW-24-01	Aluminum	24"	3"
TGPW-36-01	Aluminum	36"	5"
TGPW-48-01	Aluminum	48"	6"
TGPW-08	Cast Iron	8"	1"
TGPW-10	Cast Iron	10"	1.5"
TGPW-12	Cast Iron	12"	2"
TGPW-14	Cast Iron	14"	2"
TGPW-18	Cast Iron	18"	2.5"
TGPW-24	Cast Iron	24"	3"

## PLIERS

Chrome Vanadium Steel  
Meets ANSI Standards



Order Number	Description	Length
TGHT-014-010	Slip Joint Pliers	10"
TGHT-014-006	Slip Joint Pliers	6"
TGHT-014-008	Slip Joint Pliers	8"
TGHT-016-008	Groove Joint Pliers	8"
TGHT-016-010	Groove Joint Pliers	10"
TGHT-016-012	Groove Joint Pliers	12"
TGHT-018-006	Linesman Pliers with side cutters	6"
TGHT-018-008	Linesman Pliers with side cutters	8"
TGHT-020-007	Long Nose Pliers with side cutter	7"
TGHT-020-008	Long Nose Pliers with side cutter	8"
TGHT-021-006	Long Bent Nose Pliers with side cutter	6"
TGHT-021-008	Long Bent Nose Pliers with side cutter	8"
TGHT-030-006	Diagonal Cutting Pliers	6"
TGHT-030-008	Diagonal Cutting Pliers	8"
TGHT-030-007	Curved Jaw Locking Pliers	7"
TGHT-030-010	Curved Jaw Locking Pliers	10"



## HACKSAW BLADES

Shatterproof Bi-Metal Blade

Order Number	Length	Teeth	Case Quantity
TGHSB1218	12"	18 TPI	100
TGHSB1224	12"	24 TPI	100
TGHSB1232	12"	32 TPI	100

Order Number	Description
XJ818	12" Hacksaw with Non-Slip Rubber Grip

## SCREWDRIVERS

Chrome Vanadium Steel Blades

Black Magnetic Tip

Tip Type printed on end of handle for quick reference

Genuine Robertson blades with colour coded handle

Order Number	Tip	Tip Size	Blade Length
TGSD1101	Phillips	#1	4"
TGSD1201	Phillips	#2	4"
TGSD1301	Phillips	#3	6"
TGSD1204	Phillips	#2	1.5"
TGSD3101	Robertson	#1	4"
TGSD3201	Robertson	#2	6"
TGSD3301	Robertson	#3	6"
TGSD3204	Robertson	#2	1.5"
TGSD5101	Slot	3/16"	4"
TGSD5201	Slot	1/4"	4"
TGSD5301	Slot	5/16"	6"
TGSD5401	Slot	3/8"	6"
TGSD5204	Slot	1/4"	1.5"



## UTILITY KNIVES

Order Number	Description
TGUK-001-00	Ratchet Lock Blade, Utility Knife
TGUK-001-10	10 Pack Replacement Blades for 001 Model
TGUK-018-00	Slide Lock Blade, Utility Knife
TGUK-018-10	10 Pack Replacement Blades for 018 Model



## MAGNETIC PICK UP

Order Number	Description	Load Capacity	Telescoping Length
TGMP-005	Magnetic Pick-up Tool 5" - 24" Telescoping 5lbs. Magnetic Pick-up	5 lbs.	5" to 24"



## LEVELS

Order Number	Length	45° Vial	Level Vial	Plumb Vial
<b>Standard Duty Aluminum Level - Accuracy .001 / inch</b>				
TGL-024-01	24"	-	1	2
TGL-048-01	48"	-	1	2
TGL-072-01	72"	-	1	2
<b>Heavy Duty Aluminum Level - Accuracy .0005 / inch</b>				
TGL-024-03	24"	-	1	2
TGL-048-03	48"	-	1	2
TGL-072-03	72"	-	1	2
<b>Torpedo Levels with Magnetic Edge - Accuracy .001 / inch</b>				
TGL-009-20	9"	1	1	1
TGL-009-22	9"	1	1	1

## TAPE MEASURES

High Impact ABS Case



Order Number	Length	Width	Graduation	Magnetic Tip
TGTM-001	16'	3/4"	Imperial Only	No
TGTM-002	16'	3/4"	Imperial & Metric	No
TGTM-003	25'	1"	Imperial Only	No
TGTM-004	25'	1"	Imperial & Metric	No
TGTM-005	16'	3/4"	Imperial Only	Yes
TGTM-006	16'	3/4"	Imperial & Metric	Yes
TGTM-007	25'	1"	Imperial Only	Yes
TGTM-008	25'	1"	Imperial & Metric	Yes

## C-CLAMPS

Malleable Iron Frame - Powder Coat Finish



Order Number	Clamping Capacity	Frame Proof Load	Case
E20-03	3"	1,000 lbs / 455 kg	6
E20-04	4"	1,200 lbs / 545 kg	6
E20-06	6"	1,400 lbs / 636 kg	6
E20-08	8"	1,700 lbs / 773 kg	2
E20-10	10"	2,000 lbs / 909 kg	2
E20-12	12"	2,500 lbs / 1,136 kg	2

## BOLT CUTTERS

Jaws are Drop Forged and Machined to Precise Specifications  
Rubber Grips for added comfort



Order Number	Length	Cutting Capacity
ETBC-14	14"	3/16"
ETBC-18	18"	1/4"
ETBC-24	24"	5/16"
ETBC-30	30"	3/8"
ETBC-36	26"	7/16"

## SLEDGE HAMMERS

Double Face Forged Steel Head with Fiberglass Handle and Safety Grip  
Meets ASME B107.400 2008-B197.54 Striking Tool Standard



Order Number	Head Weight	Length	Handle Material
TGSH-004-01	4 lbs	15.75"	Fiberglass
TGSH-006-01	6 lbs	30.75"	Fiberglass
TGSH-008-01	8 lbs	30.75"	Fiberglass
TGSH-010-01	10 lbs	34"	Fiberglass
TGSH-012-01	12 lbs	34"	Fiberglass
TGSH-014-01	14 lbs	34"	Fiberglass
TGSH-016-01	16 lbs	34"	Fiberglass



## WRECKING & UTILITY BARS

Tempered alloy steel  
Electrostatic powder coated finish

Order Number	Description	Length	Weight
TGHT-040-024	Wrecking Bar	24"	4.25 lbs.
TGHT-040-036	Wrecking Bar	36"	6.25 lbs.
TGHT-048-060	Pry Bar	60"	18 lbs.
TGHT-044-015	Utility Bar	15"	1.5 lbs.

## PUNCH & CHISEL SETS



Order Number	Description
TG-GP006B2	6 pc. Pin & Center Punch Set
TG-GP005A2	5 pc. Taper Punch Set
TG-GP003A2	3 pc. Cold Chisel Set
TG-GP007G	7 pc. Punch & Chisel Set
TG-GP026	26 pc. Punch & Chisel Set



## CHISELS

Order Number	Description
TG-GPCD2201	12" Cold Chisel with Striking Head
TG-GPCV2202	12" Cold Chisel

## MECHANICS VISES, RECORD

High Quality Cast Iron Castings



Order Number	Jaw Width	Jaw Opening	Jaw Depth
REC1	3"	3-3/4"	1-7/8"
REC3	4"	4-3/4"	2-3/4"
REC4	4.5"	5-1/2"	3"
REC5	5"	6-1/2"	3-1/4"
REC6	6"	8"	3-1/2"
REC8	8"	9-1/4"	4"

## MECHANICS VISES, ECLIPSE



Order Number	Jaw Width	Jaw Opening	Jaw Depth
EMV-1	3"	3-1/4"	1-7/8"
EMV-3	4"	4-1/4"	2-1/2"
EMV-5	5"	5-3/8"	2-7/8"
EMV-6	6"	6-5/8"	3-3/8"
EMV-8	8"	8-1/4"	4-1/16"

## LEVER TYPE GREASE GUN



Order Number	Loading	Lube Capacity		Nozzle Extensions	Operating Pressure (PSI)
		Bulk (oz.)	Cartridge (oz.)		
TG-GG14	2-Way	14	14	1 - 12" Flexible 1 - 6" Rigid	10,000

## OUTSIDE MICROMETER

Order Number	Description	Range	Resolution
IDI-208C-535	Digital Outside Micrometer*	0 - 1"	0.00005"
IDI-208C-407	3 pc Set**	0 - 3"	0.0001"

\* IP54 Moisture Resistant Construction

\*\* contains 0-1", 1"-2" & 2"-3" micrometers

## DIGITAL CALIPERS

Digital Calipers

Function Buttons: Inch/Millimeter Conversion, Zero at any position

Includes: Battery and Protective Case



Order Number	Range	Resolution	Display	Housing
IDI-21150S	0-6"	0.0005"	Inch & Metric	Plastic
IDI-21151S	0-6"	0.0005"	Inch & Metric	Stainless Steel
IDI-21200S	0-8"	0.0005"	Inch & Metric	Plastic

## DIAL INDICATORS



Order Number	Diameter	Range Total	Dial Reading	Graduation
IDI-203-101	1.50"	0 - 0.25"	0 -100 - 0	.001"
IDI-203-102	2.25"	0 - 0.50"	0 -100 - 0	.0005"
IDI-203-103	2.25"	0 - 1.0"	0 -100 - 0	.001"

## MAGNETIC STAND, UNIVERSAL



Order Number	Magnetic Force	Clamp Hole	Stem Length	Weight
TG-MAGSTAND-80	80 kg, 175 lbs.	8 mm	320 mm	1.8 kg

# Hand & Precision Tools

## AIR TOOLS



XQ 708



XQ 722



XQ 703A



XQ 703B

Order Number	Description	Free Speed RPM	Air Inlet	CFM	Max. Torque	
					ft-lb	nm
XQ708	1/2" Dr. Air Impact Wrench	8,000	1/4"	4.4	400	542 nm
XQ722	3/4" Dr. Air Impact Wrench	5,000	1/4"	4.8	520	705 nm
XQ703A	1/2" Air Ratchet Wrench	160	1/4"	3	50	68 nm
XQ703B	3/8" Air Ratchet Wrench	160	1/4"	3	50	68 nm



XQ 7801B



XQ 502

Order Number	Description	Free Speed RPM	Air Inlet	CFM	Torque Range	
					ft-lb	nm
XQ7801B	1" Air Impact Wrench Kit	4,000	1/2"	10	1400	1898 nm

Order Number	Description	Free Speed RPM	Air Inlet	CFM	Chisel Shank	
					Inch	mm
XQ502	150mm Air Hammer	4,500	1/4"	2.3	0.401"	10.2 nm



XQ 811A



XQ 812A



XQ 816



XQ 825

Order Number	Description	Free Speed RPM	Air Inlet	CFM	Collet Size	
					Inch	mm
XQ811A	Mini Air Die Grinder	25,000	1/4"	2.8	1/4"	6 mm
XQ812A	Air Die Grinder	22,000	1/4"	4	1/4"	6 mm
XQ816	Air Angle Die Grinder	20,000	1/4"	2.8	1/4"	6 mm
XQ825	Air Die Grinder (3" Shaft)	20,000	1/4"	2.8	1/4"	6 mm

## AIR TOOLS



XQ 818



XQ 818A

Order Number	Description	Free Speed RPM	Air Inlet	CFM	Wheel Size	
					Inch	mm
XQ818	4" Air Angle Grinder (Trigger)	11,000	1/4"	3.8	4"	102 mm
XQ818A	5" Air Angle Grinder (Trigger)	11,000	1/4"	3.8	5"	127 mm



XQ 660



XQ 661



XQ 658A

Order Number	Description	Free Speed RPM	Air Inlet	CFM	Gear Type	Angle Degree
XQ661	3/8" Keyless Air Drill	1,800	1/4"	4	3 gears	90

Order Number	Description	Free Speed RPM	Air Inlet	CFM	Spindle Thread	Chuck Capacity



XQ 312



XQ 350

Order Number	Description	Free Speed RPM	Air Inlet	PSI	Pad Size	
					Inch	mm
XQ312	6" Air D.A. Sander	10,000	1/4"	90	6"	152 mm
XQ350	6" Pro Sander (Dust Collector)	12,000	1/4"	90	6"	152 mm

## AIR HOSE

Polyurethane Self-Storing Air Hose  
Colour: Blue - 125 PSI



Order Number	Hose I.D.	Fitting	Length
TGAH-152525	1/4"	1/4"	15'
TGAH-252525	1/4"	1/4"	25'
TGAH-502525	1/4"	1/4"	50'
TGAH-153737	3/8"	3/8"	15'
TGAH-253737	3/8"	3/8"	25'
TGAH-503737	3/8"	3/8"	50'
TGAH-153725	3/8"	1/4"	15'
TGAH-253725	3/8"	1/4"	25'
TGAH-503725	3/8"	1/4"	50'

## BRASS BALL VALVES

Full Port Threaded



Order Number	Description
TG-BBVT-1/4	1/4" Brass Ball Valve (600 WOG)
TG-BBVT-3/8	3/8" Brass Ball Valve (600 WOG)
TG-BBVT-1/2	1/2" Brass Ball Valve (600 WOG)
TG-BBVT-3/4	3/4" Brass Ball Valve (600 WOG)
TG-BBVT-1	1" Brass Ball Valve (600 WOG)
TG-BBVT-1-1/4	1-1/4" Brass Ball Valve (600 WOG)
TG-BBVT-1-1/2	1-1/2" Brass Ball Valve (600 WOG)
TG-BBVT-2	2" Brass Ball Valve (600 WOG)
TG-BBVT-3	3" Brass Ball Valve (600 WOG)
TG-BBVT-4	4" Brass Ball Valve (600 WOG)
TG-BBVT-1/4-L/O	1/4" Brass Ball Valve With Lock-Out (600 WOG)
TG-BBVT-3/8-L/O	3/8" Brass Ball Valve With Lock-Out (600 WOG)
TG-BBVT-1/2-L/O	1/2" Brass Ball Valve With Lock-Out (600 WOG)
TG-BBVT-3/4-L/O	3/4" Brass Ball Valve With Lock-Out (600 WOG)
TG-BBVT-1-L/O	1" Brass Ball Valve With Lock-Out (600 WOG)
TG-BBVT-1-1/4-L/O	1-1/4" Brass Ball Valve With Lock-Out (600 WOG)
TG-BBVT-1-1/2-L/O	1-1/2" Brass Ball Valve With Lock-Out (600 WOG)



## HOSE CLAMPS



Order Number	Min. Dia.	Max Dia.	Band Width	Box Qty
<b>1/2" 301 Stainless Steel Band, 301SS 5/16 Slotted Screw and Housing</b>				
TGHC-01-006	3/8"	7/8"	1/2"	10
TGHC-01-008	7/16"	1"	1/2"	10
TGHC-01-010	9/16"	1-1/16"	1/2"	10
TGHC-01-012	9/16"	1-1/4"	1/2"	10
TGHC-01-016	11/16"	1-1/2"	1/2"	10
TGHC-01-020	3/4"	1-3/4"	1/2"	10
TGHC-01-024	1-1/16"	2"	1/2"	10
TGHC-01-028	1-5/16"	2-1/4"	1/2"	10
TGHC-01-032	1-9/16"	2-1/2"	1/2"	10
TGHC-01-036	1-13/16"	2-3/4"	1/2"	10
TGHC-01-040	2 -1/16"	3"	1/2"	10
TGHC-01-044	2 -5/16"	3-1/4"	1/2"	10
TGHC-01-048	2-9/16"	3-1/2"	1/2"	10
TGHC-01-052	2-13/16"	3-3/4"	1/2"	10
TGHC-01-056	3-1/16"	4"	1/2"	10
TGHC-01-060	3-5/16"	4-1/4"	1/2"	10
TGHC-01-064	2-1/2"	4-1/2"	1/2"	10
TGHC-01-072	3"	5"	1/2"	10
TGHC-01-080	3-1/2"	5-1/2"	1/2"	10
TGHC-01-084	3-3/4"	5-3/4"	1/2"	10
TGHC-01-088	4"	6"	1/2"	10
TGHC-01-188	2-1/16"	12 -1/4"	1/2"	10



Order Number	Min. Dia.	Max Dia.	Band Width	Box Qty
<b>1/2" 201 Stainless Steel Band, Carbon 5/16 Slotted Screw and 301SS Housing</b>				
TGHC-03-006	3/8"	7/8"	1/2"	10
TGHC-03-008	7/16"	1"	1/2"	10
TGHC-03-010	9/16"	1-1/16"	1/2"	10
TGHC-03-012	9/16"	1-1/4"	1/2"	10
TGHC-03-016	11/16"	1-1/2"	1/2"	10
TGHC-03-020	3/4"	1-3/4"	1/2"	10
TGHC-03-024	1-1/16"	2"	1/2"	10
TGHC-03-028	1-5/16"	2-1/4"	1/2"	10
TGHC-03-032	1-9/16"	2-1/2"	1/2"	10
TGHC-03-036	1-13/16"	2-3/4"	1/2"	10
TGHC-03-040	2-1/16"	3"	1/2"	10
TGHC-03-044	2-5/16"	3-1/4"	1/2"	10
TGHC-03-048	2-9/16"	3-1/2"	1/2"	10
TGHC-03-052	2-13/16"	3-3/4"	1/2"	10
TGHC-03-056	3-1/16"	4"	1/2"	10

## EXTENSION CORDS

Arctic Blue All-Weather Extension Cords

TPE Rubber Extension Cord - Jacket Type: SJEOW

Power Indicator Light - Temp. Range: -50°C to 105°C; -58°F to 221°F



Order Number	Length	AWG	Outlets	Colour
LT530725	25'	14/3	SINGLE	Blue / Orange
LT530730	50'	14/3	SINGLE	Blue / Orange
LT530735	100'	14/3	SINGLE	Blue / Orange
LT530825	25'	12/3	SINGLE	Blue / Orange
LT530830	50'	12/3	SINGLE	Blue / Orange
LT530835	100'	12/3	SINGLE	Blue / Orange
LT630825	25'	12/3	TRIPLE	Blue / Orange
LT630830	50'	12/3	TRIPLE	Blue / Orange
LT630835	100'	12/3	TRIPLE	Blue / Orange

Neon Flex High Visibility Extension Cords

Vinyl Extension Cords - Jacket Type: SJTW

Primelight Power Indicator Light

Order Number	Length	AWG	Outlets	Colour
NS512830	50'	12/3	SINGLE	Green (Neon)
NS512835	100'	12/3	SINGLE	Green (Neon)
NS514830	50'	12/3	SINGLE	Blue (Neon)
NS514835	100'	12/3	SINGLE	Blue (Neon)
NS515830	50'	12/3	SINGLE	Red (Neon)
NS515835	100'	12/3	SINGLE	Red (Neon)
NS516830	50'	12/3	SINGLE	Purple (Neon)
NS516835	100'	12/3	SINGLE	Purple (Neon)
NS610725	25'	14/3	TRIPLE	Yellow (Neon)
NS610730	50'	14/3	TRIPLE	Yellow (Neon)
NS610735	100'	14/3	TRIPLE	Yellow (Neon)
NSPL512725	25'	14/3	SINGLE	Green (Neon)
NSPL512730	50'	14/3	SINGLE	Green (Neon)
NSPL512735	100'	14/3	SINGLE	Green (Neon)
NSPL514725	25'	14/3	SINGLE	Blue (Neon)
NSPL514730	50'	14/3	SINGLE	Blue (Neon)
NSPL514735	100'	14/3	SINGLE	Blue (Neon)
NSPL514835	100'	12/3	SINGLE	Blue (Neon)

## EXTENSION CORDS

Trouble Lights & Light String  
String Lights - Molded-on Weather Resistant, Vinyl Jacket  
Spaced at 10 Foot Intervals



Order Number	Length	AWG	Description	Cord Colour
TL010625	25'	16/3 SJTW	Trouble Light	Yellow
TL020625	25'	16/3 SJEOW	Trouble Light	Blue / Orange
LSUGM830	50'	12/3 SJTW	Stringlight	Yellow
LSUGM835	100'	12/3 SJTW	Stringlight	Yellow

## TARPAULINS

H.D.P.E. (High Density Polyethylene) Material - 8 x 8 Weave  
Aluminum Grommets Every 3' - Polyethylene Rope Reinforced Hems  
Finished Size Slightly Smaller due to Hem Allowance



Order Number	Dimensions	Colour
TARP-0608-BLUE	6' X 8'	BLUE
TARP-0810-BLUE	8' X 10'	BLUE
TARP-1012-BLUE	10' X 12'	BLUE
TARP-1015-BLUE	10' X 15'	BLUE
TARP-1520-BLUE	15' X 20'	BLUE
TARP-1824-BLUE	18' X 24'	BLUE
TARP-2030-BLUE	20' X 30'	BLUE
TARP-3040-BLUE	30' X 40'	BLUE
TARP-3050-BLUE	30' X 50'	BLUE
TARP-4050-BLUE	40' X 50'	BLUE
TARP-4060-BLUE	40' X 60'	BLUE
TARP-0608-CLEAR	6' X 8'	CLEAR/WHITE
TARP-0810-CLEAR	8' X 10'	CLEAR/WHITE
TARP-1012-CLEAR	10' X 12'	CLEAR/WHITE
TARP-1015-CLEAR	10' X 15'	CLEAR/WHITE
TARP-1520-CLEAR	15' X 20'	CLEAR/WHITE
TARP-1824-CLEAR	18' X 24'	CLEAR/WHITE
TARP-2030-CLEAR	20' X 30'	CLEAR/WHITE
TARP-3050-CLEAR	30' X 50'	CLEAR/WHITE
TARP-4060-CLEAR	40' X 60'	CLEAR/WHITE



## HAND CLEANER

Orange lotion with pumice  
CFIA FOOD APPROVED for us in food plants

Order Number	Description	Weight	Case Qty
TGHC-001	3.5L Bottle with Pump Top	8.8 lbs	4

## ROPE

Plastic Reels  
Polypropylene Twisted



Order Number	Diameter	Reel Length
TGR-1/4-B	1/4"	1200'
TGR-5/16-B	5/16"	957'
TGR-3/8-B	3/8"	600'
TGR-1/2-B	1/2"	400'
TGR-5/8-B	5/8"	200'

## ALKALINE BATTERIES

Shrink Wrap Package



Order Number	Size	Volt	Pack Qty
TGB-AA	AA	1.5v	8
TGB-AAA	AAA	1.5v	8
TGB-C	C	1.5v	6
TGB-D	D	1.5v	6
TGB-9V		9v	4

## FLASHLIGHTS



TGFL-008

TGFL-012



TGFL-101

Order Number	Body	Length	Bulb	Batteries*
TGFL-008	Aluminum	4"	8 LED	3-AAA
TGFL-012	Aluminum	4"	12 LED	3-AAA
TGFL-101	Hardcase	6.5"	1 NICHIA LED	2-AA

\* Batteries not included

## RATCHET STRAPS

Heavy-Duty Ratcheting Tie-Down  
Double J-Hooks  
CE Certified Nylon Woven Strap



Order Number	Strap Length	Strap Width	Breaking Strength	Working Load Limit
RS-227 CE	27'	2"	11,000 lbs	5,000 lbs
RS-116 CE	16'	1"	3,000 lbs	1,500 lbs

## Material Handling

### PALLET TRUCKS

3 Position Control Lever  
Colour: High Visibility Orange



Order Number	Capacity	Frame Width	Frame Length
TGPT-52748NS	5,500 lbs.	27"	48"

### HAND TRUCKS

600 lbs. Capacity  
Powder Coated Dark Blue Finish  
Steel Hub with Steel Ball Bearings



Order Number	Handle	Height	Weight
<b>Hand Truck with Pneumatic Wheels</b>			
TGHT-001	Dual	46"	20 lbs.
TGHT-003	Loop "P"	52"	23 lbs.
<b>Hand Truck with Hard Rubber Wheels</b>			
TGHT-002	Dual	46"	21 lbs.
TGHT-004	Loop "P"	52"	24 lbs.

## CASTERS

### Blue Elastic Rubber Wheel

Higher load capacity; Smooth quiet ride;

Low force starting; Ideal for towing on irregular surfaces



Order Number	Brake	Dia.	Width	Cap. (lbs.)	Bolt Hole Spacing
TGC-10300-R	Rigid	3"	1-1/2"	220 lbs.	3-1/16" x 2-3/8"
TGC-10300-S	Swivel	3"	1-1/2"	220 lbs.	3-1/16" x 2-3/8"
TGC-10302-S	Swivel with Brake	3"	1-1/2"	220 lbs.	3-1/16" x 2-3/8"
TGC-10400-R	Rigid	4"	1-1/2"	330 lbs.	3-1/16" x 2-3/8"
TGC-10400-S	Swivel	4"	1-1/2"	330 lbs.	3-1/16" x 2-3/8"
TGC-10402-S	Swivel with Brake	4"	1-1/2"	330 lbs.	3-1/16" x 2-3/8"
TGC-10500-R	Rigid	5"	1-3/4"	440 lbs.	3-1/16" x 2-3/8"
TGC-10500-S	Swivel	5"	1-3/4"	440 lbs.	3-1/16" x 2-3/8"
TGC-10502-S	Swivel with Brake	5"	1-3/4"	440 lbs.	3-1/16" x 2-3/8"
TGC-10600-R	Rigid	6"	2-3/8"	770 lbs.	4-1/8" x 3-1/16"
TGC-10600-S	Swivel	6"	2-3/8"	770 lbs.	4-1/8" x 3-1/16"
TGC-10602-S	Swivel with Brake	6"	2-3/8"	770 lbs.	4-1/8" x 3-1/16"

### Orange Polyurethane wheel with Precision Bearings

High density polyurethane; Zero maintenance with sealed precision ball bearings; Forks covered with baked paint for durability; High-tech double acting brakes and easy to use



Order Number	Brake	Dia.	Width	Cap. (lbs.)	Bolt Hole Spacing
TGC-30400-R	Rigid	4"	2"	600 lbs.	3-3/8" x 2-13/16"
TGC-30400-S	Swivel	4"	2"	600 lbs.	3-3/8" x 2-13/16"
TGC-30402-S	Swivel with Brake	4"	2"	600 lbs.	3-3/8" x 2-13/16"
TGC-30500-R	Rigid	5"	2"	750 lbs.	3-3/8" x 2-13/16"
TGC-30500-S	Swivel	5"	2"	750 lbs.	3-3/8" x 2-13/16"
TGC-30502-S	Swivel with Brake	5"	2"	600 lbs.	3-3/8" x 2-13/16"
TGC-30600-R	Rigid	6"	2"	900 lbs.	3-3/8" x 2-13/16"
TGC-30600-S	Swivel	6"	2"	900 lbs.	3-3/8" x 2-13/16"
TGC-30602-S	Swivel with Brake	6"	2"	900 lbs.	3-3/8" x 2-13/16"
TGC-30800-R	Rigid	8"	2"	900 lbs.	3-3/8" x 2-13/16"
TGC-30800-S	Swivel	8"	2"	900 lbs.	3-3/8" x 2-13/16"
TGC-30802-S	Swivel with Brake	8"	2"	900 lbs.	3-3/8" x 2-13/16"

## PAINT BRUSHES



Order Number	Width	Handle	Bristles
TGB-5/8	5/8"	Red Plastic	Black & Natural Mixed
TGB-1	1"	Red Plastic	Black & Natural Mixed
TGB-1-1/2	1.5"	Red Plastic	Black & Natural Mixed
TGB-2	2"	Red Plastic	Black & Natural Mixed
TGB-3	3"	Red Plastic	Black & Natural Mixed
TGB-4	4"	Red Plastic	Black & Natural Mixed
TGB-1W	1"	Plain Wood	100% Natural White
TGB-1-1/2W	1.5"	Plain Wood	100% Natural White
TGB-2W	2"	Plain Wood	100% Natural White
TGB-3W	3"	Plain Wood	100% Natural White
TGB-4W	4"	Plain Wood	100% Natural White
TGB-01-FOAM	1"	Plain Wood	High Density Foam
TGB-02-FOAM	2"	Plain Wood	High Density Foam
TGB-06-150	1.5"	Plain Wood	Polyester Fat Sash
TGB-06-200	2"	Plain Wood	Polyester Flat Sash
TGB-06-300	3"	Plain Wood	Polyester Flat Sash
TGB-06-400	4"	Plain Wood	Polyester Flat Sash
TGB-07-200	2"	Plain Wood	Polyester Angular Sash
TGB-07-300	3"	Plain Wood	Polyester Angular Sash

## PAINT ROLLERS



Order Number	Width	Pile	Description
TGB-30-010	9.5"	3/8"	Roller Sleeve, White
TGB-30-019	9.5"	3/4"	Roller Sleeve, White
TGB-30-025	9.5"	1"	Roller Sleeve, White
TGB-30-030	9.5"	1-1/8"	Roller Sleeve, White

## AEROSOL CHEMICALS



Order Number	Description	Size	Case Qty
TGC-01-X120	Multi Purpose Lube	320G	12
TGC-02-X111	Moly Grease	300G	12
TGC-02-X130	Chain Lube	230G	12
TGC-03-X140	Silicone Lube	300G	12
TGC-03-X307	Odourless Silicone	400G	12
TGC-03-X634	Food Grade Silicone	340G	12
TGC-10-X632	Mould & Die Cleaner	350G	12
TGC-14-X313	Cold Galvanized Coating	369G	12

## TAPE AND ACCESSORIES

Order Number	Description	Width	Length
10TT03-IDI	White Teflon Tape	1/2"	520"
TGT-220660	Black PVC Electrical Tape	3/4"	60'
TG-19-2900-72	2" Tape Dispenser		

## Safety Supplies

### BARRICADE TAPE

Polyethylene Film (0.04 mm thickness)  
3" x 1000' in dispenser box



Order Number	Description	Colour
TGCT-3X1000CAUTION-B	CAUTION	YELLOW
TGCT-3X1000DANGER-B	DANGER	RED
TGCT-3X1000DDNE-B	DANGER DO NOT ENTER	RED
TGCT-3X1000DNGRYLW-B	DANGER	YELLOW

## TRAFFIC VESTS

5 point velcro tear away safety design  
3M reflective tape in WCB configuration



Order Number	Size	Colour	Material
TGVEST-001	One Size	Orange	100% Polyester Mesh
TGVEST-002	One Size	Lime	100% Polyester Mesh
TGVEST-003-01	S / M	Orange	100% Solid Polyester
TGVEST-003-02	L / XL	Orange	100% Solid Polyester
TGVEST-003-03	2XL / 3XL	Orange	100% Solid Polyester
TGVEST-004-01	S / M	Lime	100% Solid Polyester
TGVEST-004-02	L / XL	Lime	100% Solid Polyester
TGVEST-004-03	2XL / 3XL	Lime	100% Solid Polyester

### VEST001 & VEST002

Fully compliant with CSA Z96-02 Class 2, Level & ANSI / ISEA 107-2004

### VEST003 & VEST004

Fully compliant with CSA Z96-09 Class 2, Level & ANSI / ISEA 107-2004

## TRAFFIC CONES

High Visibility Orange  
Injection Molded PVC Construction  
Wide Body Design with Black Rubber Base



Order Number	Description	Base	Weight
TGTC-2801	28" Orange Traffic Cone	14" x 14"	7 lbs
TGTC-2802	28" Orange Traffic Cone with 4" Reflective Collar	14" x 14"	7 lbs
TGTC-2803	28" Orange Traffic Cone with 4" x 6" Reflective Collar	14" x 14"	7 lbs
TGTC-1801	18" Orange Traffic Cone	10-5/8" x 10-5/8"	3 lbs
TGTC-1802	18" Orange Traffic Cone with 4" Reflective Collar	10-5/8" x 10-5/8"	3 lbs
TGTC-1803	18" Orange Traffic Cone with 6" Reflective Collar	10-5/8" x 10-5/8"	3 lbs

# Safety Supplies

## GLOVES



Order Number	Description	Sizes
TGG-400 #	Cow Grain Leather Fitter Glove, Patch Palm	L
TGG-401 #	Cow Grain Leather Fitter Glove, Full Palm	L, XL
TGG-412 #	Grain Leather Fitter Glove, Boa Lined	L, XL



Order Number	Description	Sizes
TGG-404 #	Leather Driver Glove, Lined Palm	M, L, XL
TGG-408 #	Leather Driver Glove, Unlined Palm	M, L, XL
TGG-606 #	8 oz. Cotton Glove, with Leather Palm	L



Order Number	Description	Sizes
TGG-616 #	8 oz. Cotton Glove	L
TGG-416 #	Split Leather Fitter Glove, Patch Palm	L
TGG-513 #	Grain Leather Glove, 3M Thinsulate Lined	L, XL

Replace # with desired size when ordering. I.E. - TGG-404-L  
 Other glove styles are available, please contact IDI customer service for full listing



TGC03-E