

Rough Service Bulbs

· Design for Trouble Lights



Part No.	Description
BULB60	50/60 WRS
BULB100	100 WRS

Cable Tie Mounting Pads

With Foam Adhesive Backing
Mounting Holes for #6 Screw



Part No.	Length (Inches)	Colour	Pkg Qty
MPNY7509C	3/4X3/4	Natural	100
MPNY7500C	3/4X3/4	Black	100
MPNY10009C	1 X 1	Natural	100
MPNY10000C	1 X 1	Black	100
MPNY7509D	3/4X3/4	Natural	500
MPNY7500D	3/4X3/4	Black	500
MPNY10009D	1 X 1	Natural	500
MPNY10000D	1 X 1	Black	500

(Black Mounting Pads A.O.R.)


**Cable Ties with Mounting Holes
Natural Nylon (White)**



Part No.	Length (Inches)	Tensile (Lbs)	Pkg Qty
L750MH9C	7 1/2	50	100
L750MH9M	7 1/2	50	1000
L1150MH9C	11	50	100
L1159MH9D	11	50	500
L1450MH9C	14	50	100
L1450MH9D	14	50	500
L14120MH9H	14	120	100

Plugs & Connectors


Yellow Vinyl Construction
2 Pole, 3 Wire Grounding
15 AMP, 125 Volts, Straight Blade.



Part No.	Description	Cord Dia.
CCYM	Plug	6.35-6.62 mm
CCYF	Connector	6.35-6.62 mm

Plugs & Connectors

Black Rubber Construction
2 Pole, 3 Wire Grounding
15 AMP, 125 Volts, Straight Blade.



Stock No.	Description	Cord Dia.
CCBM	Plug	6.35-15.23 mm
CCBF	Connector	6.35-15.23 mm

**Cable Ties with Mounting Holes
UV Black Nylon**



Part No.	Length (Inches)	Tensile (Lbs)	Pkg Qty
L750MH0C	7 1/2	50	100
L750MH0M	7 1/2	50	1000
L1150MH0C	11	50	100
L1159MH0D	11	50	500
L1450MH0C	14	50	100
L1450MH0D	14	50	500
L14120MH0C	14	120	100

Cable Ties(Natural Nylon)



Part No.	Length (Inches)	Tensile (Lbs)	Pkg Qty
L4189C	4	18	100
L4189M	4	18	1000
L5309C	5	30	100
L5309M	5	30	1000
L8189C	8	18	100
L8189M	8	18	1000
L8409C	8	40	100
L8409M	8	40	1000
L7509C	7 1/2	50	100
L7509M	7 1/2	50	1000
L11509C	11	50	100
L11509D	11	50	500
L14509C	14	50	100
L14509D	14	50	500
L81209C	8	120	100
L141209C	14	120	100
L241759L	24	175	50

Cable Ties(UV Black Nylon)



Part No.	Length (Inches)	Tensile (Lbs)	Pkg Qty
L4180C	4	18	100
L4180M	4	18	1000
L5300C	5	30	100
L5300M	5	30	1000
L8180C	8	18	100
L8180M	8	18	1000
L8400C	8	40	100
L8400M	8	40	1000
L7500C	7 1/2	50	100
L7500M	7 1/2	50	1000
L11500C	11	50	100
L11500D	11	50	500
L14500C	14	50	100
L14500D	14	50	500
L81200C	8	120	100
L141200C	14	120	100
L241750L	24	175	50

Work Lights

Polar/Solar®

Heavy-duty work lights

Part No.	Description	Wire		Colour	Length
		Ga/Cord	Wire Type		in ft
TL05657	Metal Guard w/ outlet	14/3	SJEO	Yellow	25
TL05658	Metal Guard w/ outlet	14/3	SJEO	Yellow	50
TL05857	Metal Guard w/ outlet	16/3	SJEO	Yellow	25
TL05858	Metal Guard w/ outlet	16/3	SJEO	Yellow	50

Industrial Work Lights

TL05337	Metal Guard	18/3	SJEO	Yellow	25
TL05338	Metal Guard	18/3	SJEO	Yellow	50



Luma-Site Halogen Work Lights

Floodlight Series

Part No.	Description
WL07775	500W halogen light, adjustable pivot handle, handle held, yellow. No tripod or telescoping post.
WL07776	Two 500 watt pivoting heads, separate on/off power switches for each fixture, yellow. Tripod base.
WL07777	500W halogen light, yellow, hand held base and tripod included.



Polar/Solar Plus™

T Prene Insulated Cord with Power Indicator Light



Part No.	Wire		Colour	Length
	GA/COND	Wire Type		in ft
EC16325	16/3	SJEOW	Yellow	25
EC16350	16/3	SJEOW	Yellow	50
EC163100	16/3	SJEOW	Yellow	100
EC14325	14/3	SJEOW	Yellow	25
EC14350	14/3	SJEOW	Yellow	50
EC143100	14/3	SJEOW	Yellow	100
EC12325	12/3	SJEOW	Yellow	25
EC12350	12/3	SJEOW	Yellow	50
EC123100	12/3	SJEOW	Yellow	100
EC10320	10/3	SJEOW	Yellow	50
EC103100	10/3	SJEOW	Yellow	100

Polar/Solar Plus™ Tri-Source®

Three-Way Power Blocks

Power Blok with T Prene Insulation and Power Indicator Light

Comes with covers for when the outlet is not in use



Part No.	Wire		Colour	Length
	GA/COND	Wire Type		in ft
ECT1232	12/3	SEOW	Yellow	2
ECT12325	12/3	SEOW	Yellow	25
ECT12350	12/3	SEOW	Yellow	50
ECT123100	12/3	SEOW	Yellow	100
ECT10350	10/3	SEOW	Yellow	50
ECT103100	10/3	SEOW	Yellow	100

Greenlee Quick-Draw Hydraulic Punch Driver Kits



Part No. Description
7704SB Quick Draw Flex Driver, draw studs, adapter, spacer and case.

7706SB Standard-Quick Draw Flex Driver, 1/2" through 2" Slug Buster Conduit size punches and dies draw studs, adapter, spacer and case.

7904SB Quick Draw 90 Driver, draw studs, adapter, spacer and case.

7906SB Quick Draw 90 Driver, 1/2" through 2" Slug Buster conduit size punches and dies, draw studs, adapter, spacer and case.

**Quick
and
Complete**

Greenlee Slug Splitter SC (Self Centering) Knockout Hydraulic Punch Kits



Part No. Description
7506 1/2" to 2" conduit sizes c/w punches, dies, bolts, ram, hand pump and steel caes
7307 1/2" to 2" conduit sizes c/w punches, dies, bolts, and steel caes
744 1/2" to 1/4" conduit sizes c/w punches, dies, bolts, and steel caes

Greenlee Slug-Splitter Knockout Punches & Dies Open Stock



. Punches stainless steel to 10 guage, (3.5mm)

Part No. Description
28154 1/2" Conduit set
28156 3/4" conduit se
36490 1 7/32" Push button set
28158 1" Conduit set
28160 1 1/4" Conduit set
28162 1 1/2" Conduit set
28165 2" Conduit set

Greenlee Slug Buster Knockout Punches & Dies Open Stock



Part No. Description Required Draw Stud
721-1/2 1/2" punch 00042
14722 1/2" die 00042
721-3/4 3/4" punch 249AVBBP
124AV 3/4" die 249AVBBP
60237 1 7/32" punch 249AVBBP
36278 1 7/32" die 249AVBBP
36284 1 7/32" punch 00042
36279 1 7/32" die 00042
721-1 1" punch 249AVBBP
126AV 1" die 249AVBBP
721-11/4 1 1/4" punch 249AVBBP
128AV 1 1/4" die 249AVBBP
721-11/2 1 1/2" punch 304AVBBP
440AV 1 1/2" die 304AVBBP
721-2 2" punch 304AVBBP
442AV 2" die 304AVBBP

Greenlee Slug Buster Knockout Punches & Dies Complete with Draw Stud



Part No. Description
7211BB1/2" 1/2" Conduit set
7211BB3/4" 3/4" conduit se
60246 1 7/32" Push button set
36508 1 7/32" Push button set
7211BB1" 1" Conduit set
7211BB11/4" 1 1/4" Conduit set
7211BB11/2" 1 1/2" Conduit set
7211BB2" 2" Conduit set

**Greenlee Standard
Knockout Punches & Dies
Open Stock**



<u>Part No.</u>	<u>Description</u>	<u>Required Draw Stud</u>
121AV	1/2" punch	00042
14722P	1/2" die	00042
123AV	3/4" punch	249AVBBP
124AVP	3/4" die	249AVBBP
36282	1 7/32" punch	00042
36279	1 7/32" die	00042
125AV	1" punch	249AVBBP
126AVP	1" die	249AVBBP
127AVP	1 1/4" punch	249AVBBP
128AVP	1 1/4" die	249AVBBP
439AV	1 1/2" punch	304AVBBP
128AVP	1 1/4" die	249AVBBP
440AVP	1 1/2" die	304AVBBP
441AVP	2" punch	304AVBBP
442AVP	2" die	304AVBBP

**Greenlee Slug Buster
Ratchet Punch Driver
Knockout Kits**



<u>Part No.</u>	<u>Description</u>
1904	Basic high leverage ratchet driver with draw studs and case
1906SB	High leverage ratchet driver with 1/2" through 2" slug buster conduit punches, dies, draw studs and case.

**Greenlee Standard Round
Manual Knockout Punch
Kits**



. Mild steel up through 10 gauge

<u>Part No.</u>	<u>Description</u>
735BB	1/2" to 1 1/4" conduit sizes c/w punches, dies bolts and plastic case
737BB	1 1/2" to 2" conduit sizes c/w punches, dies bolts and plastic case
7304	2 1/2" to 4" conduit sizes c/w punches, dies bolts and plastic case

**Greenlee
Slug Buster Hydraulic Punch
Driver Kits**



<u>Part No.</u>	<u>Description</u>
7646	Drive, hand pump, adapter draw studs, spacers, Kwik Stepper, Step Bit and plastic case
7306SB	Driver, hand pump, Slug-Buster punches, draw and die studs for 1/2" through 2" conduit, adapter, spacers, Kwik Stepper Step bit and plastic case
38520	Driver, hand pump, Slug-Buster punches, and draw studs for 1/2" through 3" & 4" conduit, spacers adapter, Kwik Stepper Step bit and steel case

**Greenlee Slug Buster
Punch Driver
Knockout Kits**



<u>Part No.</u>	<u>Description</u>
7625	Driver, foot pump, steel case
7606SB	Driver, foot pump, Slug Buster punches, dies and draw studs for 1/2" through 2" conduit, steel case.
7610SB	Driver, foot pump, Slug Buster punches, dies and draw studs for 1/2" through 4" conduit, steel case.

**Greenlee Standard Round
Hydraulic Punch Driver Kits**



<u>Part No.</u>	<u>Description</u>
7646	Drive, hand pump, plastic case
7306	Drive, hand pump, standard punches, dies and draw studs, for 1/2" through 2" Conduit, plastic case
7310	Drive, hand pump, standard punches, dies and draw studs, for 1/2" through 4" Conduit, plastic case
7304	Standard punch and die kit (no draw studs) for 2 1/2" through 4" conduit, plastic case.

Draw Studs For Knockouts

Replacement Draw Studs for Hydraulic Drivers

Replacement Draw Stud Selection Guide

Refer to the full scale pictures and information below when ordering a replacement draw stud. Sizes given are diameter X length.



1557AA / 03170 - 1-1/8" (28.6 mm) x 3" (76 mm)



1614SS / 30043 - 3/8" (9.5 mm) x 2-13/16" (71 mm)



29451 - 7/16" (11.1 mm) x 4-1/4" (108 mm)



33967 (Adapter) - 3/4" (19 mm) x 1-7/8" (48 mm)



2113AA / 03294 - 3/4" (19.0 mm) x 5-3/8" (137 mm)



29452 / 3/4" (19.0 mm) x 5-1/2" (140 mm)

Replacement Draw Studs for Hydraulic Drivers



12099 - 3/4" (19.0 mm) x 4-3/4" (121 mm)



30227 - 7/16" (11.1 mm) x 3-5/8" (92 mm)



12097 - 3/8" (9.5 mm) x 3-1/2" (89 mm)

Draw Studs For Knockouts

Replacement Draw Studs for Manual Drivers

Replacement Draw Stud Selection Guide

Refer to the full scale pictures and information below when ordering a replacement draw stud. Sizes given are diameter X length.



3026AV / 04679 - 1-1/8" (28.6 mm) x 7-1/2" (190 mm)

1675AV Draw Stud / 04218 - 1/4" (6.4 mm) x 1-3/8" (35 mm)

1434AV / 04188 - 3/4" (19.0 mm) x 5-1/2" (140 mm)

Heavy-Duty Cable Cutters



Part No.	UPC No.	Description
704	24564	Heavy-Duty Cable Cutter, 21"
705	05923	Heavy-Duty Cable Cutter, 25 1/2"
706	22291	Heavy-Duty Cable Cutter, 31 1/2"

Metal Stud Punches



Part No.	UPC No.	Description
709	22280	7/8" (22.2 mm) Dia. Stud Punch
710	21285	1-11/32" (34.1 mm) Dia. stud Punch

Greenlee Slant-Top Boxes



· Recessed & concealed lock protectors

Part No.	H	W	D	W
2260	60"	32"	36"	228 lbs.
3648	48"	30"	48"	273 lbs.
3660	60"	30"	48"	282 lbs.

Greenlee Mobile Storage Chests

· Recessed & concealed lock protectors



Part No.	H	W	D	W
1332	14"	32"	19"	83 lbs.
1636	17"	36"	19"	99 lbs.
2142	20"	42"	20"	113 lbs.
2448	24"	48"	24"	146 lbs.
2460	24"	60"	24"	182 lbs.
3048	30"	48"	30"	183 lbs.
2472	24"	72"	24"	185 lbs.

Greenlee Flat Top Boxes

· Recessed & concealed lock protectors



Part No.	H	W	D	W
3360	33"	60"	30"	256 lbs.
4848	48"	48"	30"	292 lbs.
4860	60"	60"	30"	305 lbs.
4872	72"	72"	30"	360 lbs.
4872R	48"	72"	30"	375 lbs.

Greenlee Utility Cabinets



· Recessed & concealed lock protectors

Part No.	H	W	D	W
3448	34"	48"	24"	201 lbs.
5660L	56"	60"	24"	401 lbs.
5660LH	56"	60"	24"	408 lbs.
5760	56"	60"	30"	437 lbs.
5760TD	56"	60"	30"	467 lbs.

Bi-Fold Utility Cabinets

· Includes (6) Swivel & (2) rigid casters protectors



Part No.	H	W	D	W
5860	58"	60"	30"	548 lbs.

High Boy Storage Cabinet

· 4 adjustable shelves



Part No.	H	W	D	W
L190E-4	72"	36"	18"	136 lbs.

Nylo-Flex™ Non-Conductive Nylon Fish Tape

- Glides Through 1/2" to 4" Conduit
- Tape Diameter is 3/16"



<u>Part No.</u>	<u>Description</u>	<u>Weight</u>
NYD-50	50' Nylo-Flex™ Non-Conductive Fish Tape Housing	1.2 lbs
NYD-100	100' Nylo-Flex™ Non-Conductive Fish Tape Housing	2.2 lbs
JLP-5	50' Non-Conductive Replacement Tape (coil only)	1 lb
JLP-10	100' Non-Conductive Replacement Tape (coil only)	1.5 lbs

Replacement Fish Tape



<u>Part No.</u>	<u>Description</u>	<u>Fits Housing Number</u>	<u>Weight</u>
RTS-50B	50' x 1/8" x .045" Steel	FTS-50B	1.2 lbs
RTS-100	100' x 1/8" x .060" Steel	FTS-100CE, FTS100GR	3.0 lbs
RTS-200	200' x 1/8" x .060" Steel	FTS-200CE, FTS200GR	5.6 lbs
RTX-100	100' x 1/4" x .060" Steel	FTX-100	5.8 lbs
RTX-200	200' x 1/4" x .060" Steel	Bulk (no housing)	11 lbs

Steamline™ Steel Fish Tape

- Maximum Design Strength 500 lbs



FTX100

FTS50B



<u>Part No.</u>	<u>Description</u>	<u>Weight</u>
FSS-50B	50' x 1/8" x .045" Fish Tape	4.6 lbs
FTX-100	100' x 1/4" x .060" Fish Tape	7.2 lbs

Cable Snake™ Stainless Steel Fish Tape

- Maximum Design Strength 500 lbs
- Comfortable Handle Made of Impact-resistant Plastic



<u>Part No.</u>	<u>Description</u>	<u>Weight</u>
FTSS-100GR	100' x 1/8" x .0625" Stainless Steel Cable Snake™	4.6 lbs
FTSS-200GR	200' x 1/8" x .0625" Stainless Steel Cable Snake™	7.2 lbs

Slip-on Lock Nut

- Position on rod as required



<u>Part No.</u>	<u>Rod Size</u>	<u>Finish</u>
SLN-14	1/4-20	Zinc Plated
SLN-38	3/8-16	Zinc Plated
SLN-12	1/2-13	Zinc Plated
SLN-58	5/8-11	Zinc Plated
SLN-34	3/4-10	Zinc Plated

Wire-Aide™ Wire Pulling Lubricant

- Modified Yellow Wax Base Formula
- Withstands Multiple Freeze Thaw Cycles
- Suitable for Fiber Optic Cables



<u>Part No.</u>	<u>Size</u>	<u>Description</u>
79-006	Quart	Cream Like Paste
79-002	Gallon	Cream Like Paste
79-003	5-Gallon	Cream Like Paste

Fish Tape Ball

- Attaches Directly to Most 1/8" x .0625" Steel Fish Tapes

<u>Part No.</u>	<u>Description</u>	<u>Weight</u>
FTB-10	Fish Tape Ball	.06 lb



Conduit Measuring Tape

- Breaking Strength of 165 lbs



<u>Part No.</u>	<u>Description</u>	<u>Dimensions</u>
ST-40	Super True Tape™ Measuring Tape	2750' Roll x 1/4" wide

Fish Tape Leader


- Attaches Directly to 1/8" tapes, adapts to fit 1/4" tapes

<u>Part No.</u>	<u>Description</u>	<u>Weight</u>
FTL-5	Fish Tape Leader, Multi-Flex™	.5 lb



BRAK-IT Steel Deck Hanger Galvanized


- Max Load Capacity 100 lbs.



<u>Part No.</u>	<u>Size</u>	<u>Pkg Qty</u>
BR100	3/4" hook	50
BR200	1/4"-5/16" eye	50
BR300	5/16-1/2" eye	50

Aluminum Plate

- 1/4" Thickness
- "Cut to Size" Pieces A.O.R.



Plywood



<u>Part No.</u>	<u>Size</u>	<u>Description</u>
PWFR	3/4" x 4' x 8'	Fire Rated
PWGIS	3/4" x 4' x 8'	Good One Side FIR

Fibre Board

- 1/4" Thick Nacolite® Board
- "Cut to Size" Pieces A.O.R.





GB
Gardner
Bender

WireGard™ Wire Connector

Part No	Colour	Description	Qty
10-001	Grey	Box	100
11-001	Grey	Case	1000
10-002	Purple	Box	100
11-002	Purple	Case	1000
10-003	Orange	Box	100
11-003	Orange	Case	1000
10-004	Yellow	Box	100
11-004	Yellow	Case	1000
10-006	Red	Box	100
11-006	Red	Case	1000



GB
Gardner
Bender

WireGard™ Wire Connector

Part No	Colour	Description	Qty
10-084	Yellow	Box	100
11-084	Yellow	Case	1000
10-086	Red	Box	100
11-086	Red	Case	1000
10-089	Blue	Box	50
11-089	Blue	Case	1000



Foam Line Carriers

GB
Gardner
Bender

Part No.	Conduit Size	Pkg/Qty
FC1	1/2"	10
FC2	3/4"	10
FC3	1"	10
FC4	1 1/4"	10
FC5	1 1/2"	5
FC6	2"	5
FC7	2 1/2"	5
FC8	3"	5
FC9	3 1/2"	2
FC10	4"	2
FC11	5"	2
Fc12	6"	2

Wire Marker Booklets

• Pocket Size Booklets



GB
Gardner
Bender

Part No.	Markers Legends	Qty
42-027	0 - 9	45/ea
42-028	A - Z	10/ea
	0 - 15	10/ea
	Symbols: +, -, /	10/ea
42-029	1 - 45	10/ea
42-030	46 - 90	10/ea
42-035	1 - 15	6/ea
	16 - 90	4/ea
	A - Z	2/ea
	Symbols: +, -, /	2/ea
42-036	1,2 and 3	45/ea
	A,B and C	45/ea
	T1, T2, T3	30/ea
	L1, L2, L3	30/ea

Power-Saver™ Line Package

• 17 Lbs Breaking Strength

Part No.	Conduite Size	Line Length	Pkg/Qty
LP2150	1/2"	150'	50
LP3200	3/4"	200'	50
LP3300	3/4"	300'	25
LP3450	3/4"	450'	25
LP4200	1"	200'	50
LP4300	1"	300'	25
LP4450	1"	450'	25



GB
Gardner
Bender

Heavy-Duty Bulk Nylon Line

• Use with line carriers for any size conduit

GB
Gardner
Bender

Part No.	Length	Breaking Strength	Qty
LP1701	1000'	100 lbs	6/bx
LP1702	2000'	30 lbs	6/bx
LP1707	1250'	100 lbs	6/bx
LP1722	2200'	90 lbs	6/bx



Tag-Along™ Line Package

• 22 Lbs Breaking Strength

GB
Gardner
Bender

Part No.	Conduit Size	Line Length	Pkg/Qty
LP2206T	1 1/4 - 6"	400'	10
LP2207T	1 1/4 - 6"	800'	10
LP2208T	1 1/4 - 6"	600'	10

