

Wedge Anchors


*Stainless Steel Type 303 and 304.
Type 316 Also Available.*



<u>Part No.</u>	<u>Stud Size</u>	<u>O.A. Length</u>
ISS14134	1/4"	1-3/4"
ISS14214	1/4"	2-1/4"
ISS14314	1/4"	3-1/4"
ISS38214	3/8"	2-1/4"
ISS38234	3/8"	2-3/4"
ISS58312	5/8"	3-1/2"
ISS58412	5/8"	4-1/2"
ISS586	5/8"	6"
ISS34414	3/4"	4-1/4"
ISS34512	3/4"	5-1/2"
ISS347	3/4"	7"
ISS3410	3/4"	10"
ISS383	3/8"	3"
ISS38334	3/8"	3-3/4"
ISS385	3/8"	5"
ISS12234	1/2"	2-3/4"
ISS12334	1/2"	3-3/4"
ISS12414	1/2"	4-1/4"
ISS12512	1/2"	5-1/2"
ISS127	1/2"	7"
ISS16	1"	6"
ISS19	1"	9"

Metal Hollow Wall Anchors


With Combination Head Screw



<u>Part No.</u>	<u>Size</u>	<u>Drill</u>	<u>Range</u>	<u>Pkg</u>
MWA18XS	1/8XS	5/16"	0-1/2"	100
MWA18S	1/8S	5/16"	1/8-1/2"	100
MWA18L	1/8L	5/16"	5/8-7/8"	100
MWA316S	3/16S	7/16"	1/8-5/8"	50
MWA316L	3/16L	7/16"	5/8-1-1/4"	50
MWA14S	1/4S	1/2"	1/8-5/8"	50
MWA14L	1/4L	1/2"	5/8-1-1/4"	50


Drive-Type Anchors

With Combination Head Screw



<u>Part No.</u>	<u>Size</u>	<u>Drill</u>	<u>Range</u>	<u>Pkg</u>
MWD18S	18S	5/16"	1/8-1/2"	100
MWD18L	18L	5/16"	1/8-3/4"	100

Tie Wire Wedge Anchor



<u>Part No.</u>	<u>Drill Size</u>	<u>Eye DIA.</u>
EP932	1/4"	9/32"

Sleeve Anchors


Acorn Nut, Zinc Plated



<u>Part No.</u>	<u>Drill size</u>	<u>O.A. Length</u>
SLE14138	1/4"	1-3/8"
SLE14214	1/4"	2-1/4"

Sleeve Anchor

Flat Head Zinc Plated



<u>Part No.</u>	<u>DIA.</u>	<u>Length</u>
SLF14138	1/4"	1-3/8"
SLF142	1/4"	2"
SLF143	1/4"	3"
SLF144	1/4"	4"
SLF14514	1/4"	5-1/4"
SLF516212	5/16"	2-1/2"
SLF516312	5/16"	3-1/2"
SLF38234	3/8"	2-3/4"
SLF384	3/8"	4"
SLF385	3/8"	5"
SLF386	3/8"	6"

Sleeve Anchors

Hex Nut, Zinc Plated



<u>Part No.</u>	<u>DIA.</u>	<u>Length</u>
SLE516112	5/16"	1-1/2"
SLE516212	5/16"	2-1/2"
SLE38178	3/8"	1-7/8"
SLE383	3/8"	3"
SLE12214	1/2"	2-1/4"
SLE123	1/2"	3"
SLE124	1/2"	4"
SLE126	1/2"	6"
SLE58214	5/8"	2-1/4"
SLE58414	5/8"	4-1/4"
SLE586	5/8"	6"
SLE34212	3/4"	2-1/2"
SLE34414	3/4"	4-1/4"
SLE34614	3/4"	6-1/4"


Wedge Anchors

Zinc Plated Steel



<u>Part No.</u>	<u>DIA.</u>	<u>Length</u>
WED14134	1/4"	1-3/4"
WED14214	1/4"	2-1/4"
WED14314	1/4"	3-1/4"
WED38214	3/8"	2-1/4"
WED38234	3/8"	2-3/4"
WED383	3/8"	3"
WED38334	3/8"	3-3/4"
WED385	3/8"	5"
WED12234	1/2"	2-3/4"
WED12334	1/2"	3-3/4"
WED12414	1/2"	4-1/4"
WED12512	1/2"	5-1/2"
WED127	1/2"	7"
WED12812	1/2"	8-1/2"
WED1210	1/2"	10"
WED58312	5/8"	3-1/2"
WED58412	5/8"	4-1/2"
WED585	5/8"	5"
WED586	5/8"	6"
WED587	5/8"	7"
WED58812	5/8"	8-1/2"
WED5810	5/8"	10"
WED34414	3/4"	4-1/4"
WED34434	3/4"	4-3/4"
WED34512	3/4"	5-1/2"
WED34614	3/4"	6-1/4"
WED347	3/4"	7"
WED34812	3/4"	8-1/2"
WED3410	3/4"	10"
WED3412	3/4"	12"
WED786	7/8"	6"
WED788	7/8"	8"
WED7810	7/8"	10"
WED16	1"	6"
WED19	1"	9"
WED112	1"	12"
WED1149	1-1/4"	9"
WED11412	1-1/4"	12"

Twister Drywall Anchor



<u>Part No.</u>	<u>Description</u>
Jet100	Zinc Alloy Drywall Anchor
JetNyl	Plastic Drywall Anchor

Ucan LV360 Tool

- Semi-Automatic
- Used .27 Cal. Strip Loads
- Fasteners to 2-1/2"

Part No.	Description
LV360K	Deluxe Tool Kit



Powder Load Strips


- .27 Cal. In Plastic Strips
- Fits LV360, DX350 and DX36



Part No.	Colour	Pkg
CHSG	Green-Light	100
CHSY	Yellow-Med	100
CHSR	Red-Strong	100

Threaded Studs, 1/4" – 20

With Plastic guide Washer and End Cap for Lv360.
100 Per Package



Part No.	Thread	Shank
U142012K	3/4"	*1/2"
U142025	3/4"	1"

*Knurled For Steel.

.300 Flat-Headed Fasteners



Part No.	Length	Pkg
AFH19	3/4"	100
AFH25	1"	100
AFH32	1-1/4"	100
AFH37	1-1/2"	100
AFH47	2"	100
AFH57	2-1/4"	100
AFH62	2-1/2"	100
AFH72	3"	100
AFH13K	1/2" Knurled	100
AFH16K	5/8" Knurled	100

Rod Assemblies To Fit Hammer Caps Capsules

- A307 Steel
- Zinc Plated
- Straight End
- No Rotation Required
- Drive in Rod With Hammer



Part No.	Size	Pkg
PRA385	3/8" x 5"	100
PRA126	1/2" x 6-1/2"	100
PRA587	5/8" x 7-1/2"	50
PRA3410	3/4" x 10"	36
PRA112	1" x 12"	18

Stainless Steel A.O.R.

Concrete Inserts

Nails onto Wooden Deck.
Comes c/w Nails, Preset.



Part No.	Description
UPI14	1/4" Rod Size
UPI38	3/8" Rod Size
UPI12	1/2" Rod Size
UPI58	5/8" Rod Size
UPI34	3/4" Rod Size

U-Drive Anchors

One Drill Bit Included with each 100 Anchors




Part No.	Length	Fastens Up To
INS118	1-1/8"	1/8"
INS112	1-1/2"	1/2"
INS2	2"	1"
INS212	2-1/2"	1-1/2"
INS3	3"	2"
INS312	3-1/2"	2-1/2"

Self Drilling Accessories



Part No.	Description
RH514	1/4" Chuck Head
RH538	3/8" Chuck Head
RH512	1/2" Chuck Head
RH558	5/8" Chuck Head
RH534	3/4" Chuck Head
X158	Drift Pin
BB10	Blow Out Bulb
EK12	Ejector Key


"Double" Machine Bolt Anchor



Part No.	Bolt	Drill	Pkg
UDA14	1/4"	1/2"	50
UDA516	5/16"	5/8"	50
UDA38	3/8"	5/8"	50
UDA12	1/2"	7/8"	25
UDA58	5/8"	1"	25
UDA34	3/4"	1-1/4"	10

"Single" Machine Bolt Anchor


(Block Shot)



Part No.	Bolt	Drill	Pkg
USA14	1/4"	1/2"	50
USA516	5/16"	5/8"	50
USA38	3/8"	5/8"	50
USA12	1/2"	7/8"	25
USA58	5/8"	1"	25
USA34	3/4"	1-1/4"	10

Ucan Alex Aluminum Plugs


100 per box



<u>Part No.</u>	<u>Drill Size</u>	<u>Length</u>
ALE141	1/4"	1"
ALE14114	1/4"	1-1/4"
ALE14112	1/4"	1-1/2"

Ucan Blue Plastic Plugs

For Light Loads in
Solid Substrates



<u>Part No.</u>	<u>Size</u>	<u>Drill</u>	<u>Pkg</u>
UBP68	6-8 x 3/4"	3/16"	100
UBP810	8-10 x 7/8"	3/16"	100
UBP1012	10-12 x 1"	1/4"	100
UBP1416	14-16 x 1-3/8"	5/16"	100

Toggle Bolts



<u>Part No.</u>	<u>Drill</u>	<u>Description</u>	<u>Pkg</u>
TOG182	3/8"	1/8" x 2"	50
TOG183	3/8"	1/8" x 3"	50
TOG184	3/8"	1/8" x 4"	50
TOG3162	1/2"	3/16" x 2"	50
TOG3163	1/2"	3/16" x 3"	50
TOG3164	1/2"	3/16" x 4"	50
TOG3165	1/2"	3/16" x 5"	50
TOG3166	1/2"	3/16" x 6"	50
TOG143	5/8"	1/4" x 3"	50
TOG144	5/8"	1/4" x 4"	50
TOG145	5/8"	1/4" x 5"	50
TOG146	5/8"	1/4" x 6"	50
TOG383	1"	3/8" x 3"	25
TOG384	1"	3/8" x 4"	25
TOG385	1"	3/8" x 5"	25
TOG386	1"	3/8" x 6"	25

Toggle Wings Only



<u>Part No.</u>	<u>Size</u>	<u>Pkg</u>
TOGH18	1/8"	100
TOGH316	3/16"	100
TOGH14	1/4"	100
TOGH38	3/8"	100

"POP" Blind Rivets

Steel Rivet / Steel Mandrel
Open End Dome Head Style.
Available Packaged or Bulk.



<u>Part No.</u>	<u>Dia.</u>	<u>Grip Range</u>	<u>Pkg</u>
SD41BS	1/8"	.032 - .062	500
SD42BS	1/8"	.063 - .125	500
SD43BS	1/8"	.126 - .187	500
SD44BS	1/8"	.188 - .250	500
SD45BS	1/8"	.251 - .312	500
SD46BS	1/8"	.313 - .375	500
SD48BS	1/8"	.376 - .500	500




"POP" Manual Rivet Tools

<u>Part No.</u>	<u>Description</u>
P30	Professional Quality Tool

Mungo Nylon Plugs


Heavy Duty Push
Through Type



<u>Part No.</u>	<u>Screw</u>	<u>Drill</u>	<u>Pkg</u>
MUN5	4-6	5 MM / 3/16"	100
MUN6	6-8	6 MM / 15/64"	100
MUN8	10-12	8 MM / 5/16"	100
MUN10	14-18	10 MM / 25/64"	50
MUN12	3/8"	12 MM / 15/32"	25

Ucan Yellow Plastic Plugs

For Solid Substrates
and Light Loads
in Hollow Walls.




<u>Part No.</u>	<u>Size</u>	<u>Drill</u>	<u>Pkg</u>
UYP48	4-6-8 x 7/8"	3/16"	100
UYP812	8-10-12 x 1-1/4"	1/4"	100
UYP1216	12-14-16 x 1-1/2"	5/16"	100


Heavy Load Anchors, Hex Bolt Type

Zinc Dichromate Plated, ISO Grade 8.8

Part No.	Bolt DIA	O.A. Length /mm	Drill Size /mm	Fasteners up to /mm
LHL625	M6	80	10	10
LHL650	M6	100	10	25
LHL825	M8	90	12	25
LHL850	M8	115	12	50
LHL1025	M10	100	14	25
LHL1050	M10	125	14	50
LHL1225	M12	115	18	24
LHL1240	M12	130	18	40
LHL1625	M16	140	24	25
LHL1650	M16	160	24	50
LHL2030	M20	170	28	30
LHL2060	M20	200	28	60




Ucan Scru-Led Anchor



Part No.	Screw Size	Drill Size	Length	Pkg
LED634	6-8	1/4"	3/4"	100
LED61	6-8	1/4"	1"	100
LED6112	6-8	1/4"	1-1/2"	100
LED101	10-14	5/16"	1"	100
LED10112	10-14	5/16"	1-1/2"	100


Heavy Load Anchors, Stud Type



Part No.	Bolt DIA	O.A. Length /mm	Drill Size /mm	Fasteners up to /mm
BHL1225	M12	115	18	24
BHL1625	M16	140	24	25
BHL2030	M20	170	28	30

Ucan Nylon Toggle Anchor

c/w Plastic Setting Tool



Part No.	Grip Range	Drill	Qty
NTA38	5/16" - 7/16"	3/8"	100
NTA12	7/16" - 9/16"	3/8"	100
NTA58	9/16" - 11/16"	3/8"	100

Drop-In Anchors

Part No.	Thread Size	Drill Size
DROP14M	1/4"	8 mm
DROP14	1/4"	3/8"
DROP38M	3/8"	12 mm
DROP38	3/8"	1/2"
DROP12	1/2"	5/8"
DROP58	5/8"	20 mm
DROP58M	5/8"	7/8"
DROP34	3/4"	1"



Stainless Drop-In Anchors

Fractional O/D, Type 304

Part No.	Thread	Drill
DROP14S	1/4"	3/8"
DROP38S	3/8"	1/2"
DROP12S	1/2"	5/8"
DROP58S	5/8"	7/8"
DROP34S	3/4"	1"


Shallow Drop-in Anchors

For Hollow Core Slabs and Minimum Embedment Requirement
Bright Zinc Plated



Part No.	Size	Drill	Hole Depth
STUB38	3/8"	1/2"	3/4"

Drop-In Anchor Setting Tools



Part No.	Thread Size
SET14	1/4"
SET38	3/8"
SET12	1/2"
SET58	5/8"
SET34	3/4"

Zamac Nail-In Anchors

-One-Piece Nail-In anchor
-Mushroom Head



Part No.	Drill	Length	Pkg
NAIL31678	3/16"	7/8"	100
NAIL141	1/4"	1"	100
NAIL14114	1/4"	1-1/4"	100
NAIL14112	1/4"	1-1/2"	100
NAIL142	1/4"	2"	100


Shallow Drop-in Setting Tools

Part No.	Description
DIAST37	For 3/8" Shallow



Nylon Nail-In Anchor


With Zinc Plated Steel Nail



Part No.	Size	Head
NYL3161	3/16" x 1"	Mushroom
NYL316112	3/16" x 1-1/2"	Round
NYL1434	1/4" x 3/4"	Mushroom
NYL141	1/4" x 1"	Mushroom
NYL14112	1/4" x 1-1/2"	Mushroom
NYL142	1/4" x 2"	Mushroom
NYL143	1/4" x 3"	Mushroom


Stainless Steel Nail-In Anchor

-One-Piece Nail-In anchor
-Mushroom Head



Part No.	Drill	Length	Pkg
NAILS141SS	1/4"	1"	100
NAILS14114SS	1/4"	1-1/4"	100
NAILS14112SS	1/4"	1-1/2"	100

Lag Shields



Part No.	Drill	Size
LAS14	1/2"	1/4" Short
LAL14L	1/2"	1/4" Long
LAS516	1/2"	5/16" Short
LAL516L	1/2"	5/16" Long
LAS38	5/8"	3/8" Short
LAL38L	5/8"	3/8" Long
LAS12	3/4"	1/2" Short
LAL12L	3/4"	1/2" Long

Hammer Caps Capsules



Part No.	Size	Threaded		Rod Hole		Pkg
		Rod Dia.	Drill Size	Depth		
HAC10	M10x90	3/8"	15/32"	3-1/2"		10
HAC12	M12x110	1/2"	9/16"	5"		10
HAC16	M16x125	5/8"	3/4"	5-1/2"		10
HAC20	M20x125	3/4"	61/64"	7"		6
HAC24	M24x210	1"	1-1/8"	10"		6
HAC30	M30x260	1-1/4"	1-1/2"	13"		6

Masonry Bits For Concrete Screws



Part No.	DIA.	Length
SCB5323	5/32"	3-1/2"
SCB5324	5/32"	4-1/2"
SCB5325	5/32"	5-1/2"
SCB3163	3/16"	3-1/2"
SCB3164	3/16"	4-1/2"
SCB3165	3/16"	5-1/2"
SCB3166	3/16"	6-1/2"

SDS Masonry Bits For Concrete Screws

*With 1/4" Hex Shoulder
Fits into "Long" Sleeve*



Part No.	Bit Size	Screw Size
SCS5325	5/32" x 5"	To 2-3/4"
SCS5327	5/32" x 7-1/4"	To 4"
SCS3165	3/16" x 5"	To 1-3/4"
SCS3167	3/16" x 7-1/4"	To 2-3/4"

Concrete Screw, Hex Head



Part No.	Drill	DIA.	Length
SCH31634	5/32"	3/16"	3/4"
SCH316114	5/32"	3/16"	1-1/4"
SCH316134	5/32"	3/16"	1-3/4"
SCH316214	5/32"	3/16"	2-1/4"
SCH316234	5/32"	3/16"	2-3/4"
SCH316314	5/32"	3/16"	3-1/4"
SCH3164	5/32"	3/16"	4"
SCH14114	3/16"	1/4"	1-1/4"
SCH14134	3/16"	1/4"	1-3/4"
SCH14214	3/16"	1/4"	2-1/4"
SCH14234	3/16"	1/4"	2-3/4"
SCH14314	3/16"	1/4"	3-1/4"
SCH144	3/16"	1/4"	4"
SCH145	3/16"	1/4"	5"

Concrete Screw, Flat Head




Part No.	Drill	DIA.	Length
SCP316114	5/32"	3/16"	1-1/4"
SCP316134	5/32"	3/16"	1-3/4"
SCP316214	5/32"	3/16"	2-1/4"
SCP316234	5/32"	3/16"	2-3/4"
SCP316314	5/32"	3/16"	3-1/4"
SCP3164	5/32"	3/16"	4"
SCP14114	3/16"	1/4"	1-1/4"
SCP1134	3/16"	1"	1-3/4"
SCP14214	3/16"	1/4"	2-1/4"
SCP14234	3/16"	1/4"	2-3/4"
SCP14314	3/16"	1/4"	3-1/4"
SCP144	3/16"	1/4"	4"
SCP145	3/16"	1/4"	5"

Installation Kit



Part No.	Description
Scrutool	1 Installation Kit

Spare Parts




Repair Parts

Part No.	Description
CDP1001	Drill Adaptor
CDP1502	Standard Sleeve
CDP1003	Detent Spring
CDP1004	Bearing, 5/32"
CDP1006	Adaptor, 1/4"
CDP1007	Adaptor, 5/16"
CDP1010	Phillips Adaptor
CDP1507	"Long" Sleeve

Nylon Drive Screw Anchor

- Assembled with Phillips Head Screw Nails
- Install with a Hammer
- Remove with a Screw Driver
- 100/Package



Part No.	Drill size	Anchor Length	Head
MNA530	5mm, 3/16"	30 mm	Round
MNA550	5mm, 3/16"	50 mm	Round
MNA635	6mm, 15/64"	35 mm	Round
MNA650	6mm, 15/64"	50 mm	Round
MNA670	6mm, 15/64"	70 mm	Round
MNA860	8mm, 5/16"	60 mm	Countersink
MNA880	8mm, 5/16"	80 mm	Countersink
MNA8100	8mm, 5/16"	100 mm	Countersink