


Access Doors



<u>Part No.</u>	<u>Normal Size</u>	<u>Wall/Ceiling Opening (inch)</u>
UF5000-6x6	6" x 6"	6 3/8" x 6 3/8"
UF5000-8x8	8" x 8"	8 3/8" x 8 3/8"
UF5000-8x12	8" x 12"	8 3/8" x 12 3/8"
UF5000-10x10	10" x 10"	10 3/8" x 10 3/8"
UF5000-12x12	12" x 12"	12 3/8" x 12 3/8"
UF5000-12x16	12" x 16"	12 3/8" x 16 3/8"
UF5000-12x18	12" x 18"	12 3/8" x 18 3/8"
UF5000-12x24	12" x 24"	12 3/8" x 24 3/8"
UF5000-14x14	14" x 14"	14 3/8" x 14 3/8"
UF5000-16x16	16" x 16"	16 3/8" x 16 3/8"
UF5000-16x24	16" x 24"	16 3/8" x 24 3/8"
UF5000-18x18	18" x 18"	18 3/8" x 18 3/8"
UF5000-18x24	18" x 24"	18 3/8" x 24 3/8"
UF5000-22x22	22" x 22"	22 3/8" x 22 3/8"
UF5000-22x30	22" x 30"	22 3/8" x 30 3/8"
UF5000-24x24	24" x 24"	24 3/8" x 24 3/8"
UF5000-24x30	24" x 30"	24 3/8" x 30 3/8"
UF5000-24x36	24" x 36"	24 3/8" x 36 3/8"
UF5000-30x30	30" x 30"	30 3/8" x 30 3/8"

Lumber Crayons

· Marks on wood, metal & concrete



<u>Part No.</u>	<u>Colour</u>	<u>Shape</u>
LC5220	Red	Hex
LC523	White	Hex
LC521	Blue	Hex
LC496	Yellow	Hex
LC522	Green	Hex
LC494	Black	Hex

Lumber Crayon Holder

<u>Part No.</u>	<u>Description</u>
LCHW	Walnut Handle
LCHM	Metal Handle



Sharpie Fine Point Marker

<u>Part No.</u>	<u>Colour</u>	<u>Tip</u>
MARSHARPE	Black	Fine



Felt Markers


· Permanent instant drying ink



<u>Part No.</u>	<u>Colour</u>	<u>Tip</u>
MARBL	Black	Wedge
MARBLU	Blue	Wedge
MARR	Red	Wedge
MARBS	Black	Sharp
MARBLUS	Blue	Sharp
MARRS	Red	Sharp

Welders Processed Soap Stone

<u>Part No.</u>	<u>Description</u>
SOAPS	5" x 1/2" x 3/16"



Carpenter Pencil

<u>Part No.</u>	<u>Description</u>
CP	7" Medium Lead



Paint Marker, Valve Action

· Fiber tip
· Makes fine line marks



<u>Part No.</u>	<u>Colour</u>
96820	White
96821	Yellow
96822	Red
69823	Black
96826	Green

Ball Paint Marker

· Marks on metal, wood & plastic



<u>Part No.</u>	<u>Size</u>	<u>Colour</u>
84600	2 oz.	White
84601	2 oz.	Yellow

Rebar Wire

· Used to tie rebar reinforcing bars
· Coil fits in standart belt dispenser



<u>Part No.</u>	<u>Gauge #</u>
RB16	16

**Duracell :
Procell Alkaline Batteries**



<u>Part No.</u>	<u>Type</u>	<u>Price</u>
PC1300	D	0.89
PC1400	C	0.76
PC1500	AA	0.35
PC1604	9V	1.30
PC2400	AAA	0.40

Flashlight



<u>Part No.</u>	<u>Description</u>
FL2D	Flashlight 2D batteries



<u>Part No.</u>	<u>Description</u>
ML2D	Maglite 2D Batteries
ML3D	Maglite 3D Batteries
ML2AA	Maglite 2AA Batteries

Worm Gear Clamps



HS Series:

*1/2" Wide 301 Stainless Steel band
and housing with 5/16"
plated carbon steel screw*

HAS Series:

*1/2" Wide 301 Stainless Steel band
and housing with 5/16"
305 stainless steel screw.*

<u>Part No.</u>	<u>Range</u>	<u>Part No.</u>	<u>Range</u>
HS06	3/8" - 7/8"	HAS06	3/8" - 7/8"
HS08	7/16" - 1"	HAS08	7/16" - 1"
HS10	9/16" - 1-1/16"	HAS10	9/16" - 1-1/16"
HS12	9/16" - 1-1/4"	HAS12	9/16" - 1-1/4"
HS16	11/16" - 1-1/2"	HAS16	11/16" - 1-1/2"
HS20	3/4" - 1-3/4"	HAS20	3/4" - 1-3/4"
HS24	1-1/16" - 2"	HAS24	1-1/16" - 2"
HS28	1-5/16" - 2-1/4"	HAS28	1-5/16" - 2-1/4"
HS32	1-9/16" - 2-1/2"	HAS32	1-9/16" - 2-1/2"
HS36	1-13/16" - 2-3/4"	HAS36	1-13/16" - 2-3/4"
HS40	2-1/16" - 3"	HAS40	2-1/16" - 3"
HS44	2-5/16" - 3-1/4"	HAS44	2-5/16" - 3-1/4"
HS48	2-9/16" - 3-1/2"	HAS48	2-9/16" - 3-1/2"
HS52	2-13/16" - 3-3/4"	HAS52	2-13/16" - 3-3/4"
HS56	3-1/16" - 4"	HAS56	3-1/16" - 4"
HS60	3-5/16" - 4-1/4"	HAS60	3-5/16" - 4-1/4"
HS64	2-1/2" - 4-1/2"	HAS64	2-1/2" - 4-1/2"
HS72	3" - 5"	HAS72	3" - 5"
HS80	3-1/2" - 5-3/4"	HAS80	3-1/2" - 5-3/4"
HS84	3-3/4" - 5-3/4"	HAS84	3-3/4" - 5-3/4"
HS88	4" - 6"	HAS88	4" - 6"
HS96	4-1/2" - 6-1/2"	HAS96	4-1/2" - 6-1/2"
HS104	5" - 7"	HAS104	5" - 7"
HS116	5-3/4" - 7-3/4"	HAS116	5-3/4" - 7-3/4"
HS128	6-1/2" - 8-1/2"	HAS128	6-1/2" - 8-1/2"
HS152	8" - 10"	HAS152	8" - 10"
HS164	8-3/4" - 10-3/4"	HAS164	8-3/4" - 10-3/4"
HS188	10-1/4" - 12-1/4"	HAS188	10-1/4" - 12-1/4"
HS200	11" - 13"	HAS200	11" - 13"
HS212	11-3/4" - 13-3/4"	HAS212	11-3/4" - 13-3/4"
HS224	12-1/2" - 14-1/2"	HAS224	12-1/2" - 14-1/2"
HS236	13-1/2" - 15-1/4"	HAS236	13-1/2" - 15-1/4"
HS248	14" - 16"	HAS248	14" - 16"
HS270	15-3/8" - 17-3/8"	HAS270	15-3/8" - 17-3/8"
HS312	18" - 20"	HAS312	18" - 20"
HS390	22-7/8" - 24-7/8"	HAS390	22-7/8" - 24-7/8"

**General Purpose
Aerosol Spray Paints**

- Dries to touch in 12 minutes
- 16 Oz. Can (10 Oz. net wt.)

Part No.	Description
SPWHITE	Gloss white
SPBLACK	Gloss black
SPBLUE	Blue
SPRED	Gloss red
SPGRAY	Gray
SPYELLOW	Yellow
SPGLOSSPINK	Gloss pink
SPGREEN	Green
SPSKYBLUE	Sky blue
SPGOLD	Gold
SPFLATBLACK	Flat black
SPORANGE	Orange
SPCLEAR	Clear
SPGRAYPRIME	Gray primer
SPREDPRIME	Red primer
SPDARKGREY	Dark gray
SPFLATWHITE	Flat white
SPBROWN	Brown
SPTRUEBLUE	True blue
SPALUMINUM	Aluminum



**Krylon® Industrial
Quality Aerosol
Spray Paint**



- Dries to touch in 12 minutes
- 16 Oz. can (10 Oz. net wt.)

Part No.	Description
41301	Acrylic crystal clean
41501	Gloss white
41502	Flat white
41506	Almond
41508	Semi-gloss white
41601	Gloss black
41602	Ultra-flat black
41308	Smoke gray
41613	Semi-flat black
41809	School bus yellow
41816	John Deere yellow
41901	Regal blue
4191OR	True Blue
42001	Hunter green
42101	Cherry red
42108	Banner red
42501	Brown



**Krylon® Fluorescent
Aerosol Spray Paints**



Part No.	Description
43101	Red/Orange fluorescent
43102	Yellow/Orange fluorescent
43104	Lemon yellow fluorescent
43105	Cerise fluorescent
43106	Green fluorescent

**Pure Bristle paint
Brushes "Good" Quality
Bennett CBR1000**



Part No.	Size	Size(mm)
BR10001	1-1/4"	30
BR10002	2"	50
BR10003	3"	75
BR10004	4"	100

**Krylon® Quik-Mark™
Upside-Down
Marking Paints**



- Inverted, solvent based*
· 20 Oz. Cans (17 Oz. net wt.)

Part No.	Description
UDRED	APWA Red
UDBLUE	APWA Blue
UDGREEN	APWA Green
UDBORANGE	APWA Bright Orange
UDHYELLO	APWA Hi-Vis. Yellow
UDUWHITE	APWA Utility White
UDABLACK	Asphalt Black
UDCLEAR	Clear
UDFRED	Fluorescent Safety Red
UDFNGREEN	Fluorescent Neon Green
UDFPURPLE	Fluorescent Purple
UDFHPIK	Fluorescent Hot Pink
UDFRORANGE	Fluorescent Red Orange
UDFORANGE	Fluorescent Orange



**Krylon® "High Heat"
Aerosol Spray Paints**



Part No.	Description
41402	Aluminum Hi-Heat
41505	White Hi-Heat
41614	Black Hi-Heat
41618	BBQ & stove Black Hi-Heat

Throwaway Bristle Brush

- Clear wood handle, black bristles

Part No.	Size	Size(mm)
PB12	1/2"	15
PB1	1"	25
PB2	2"	50
PB3	3"	75
PB4	4"	100



**Zinc-Rich Cold
Galvanizing
Compound**



Part No.	Description
2RSP	16 oz. Aerosol can
2RSPQT	Quart can

Metallic Compound

- Non-Corrosive
- Prevents galling and seizing
- Available in plain and brush-top

Recommended for:

- Natural Gas
- Nitrogen
- Refrigerants
- Hydraulic Oils
- Oils
- Castor Oils
- Acids (dilute)
- Caustic Alkalis (dilute)
- Water (hot, cold)
- Propane
- Inert Gases (gaseous)
- Ammonia
- Jet Fuels (JP4, 5, & 6)
- Heating Oils
- Gasohol
- Alkalis (dilute)
- Petroleum Solvents
- Air (compressed, gaseous)
- Butane
- Carbon Dioxide
- Manufactured Gases
- Kerosene
- Gasoline

- Ethanol
- Brine
- Sugar (liquid)
- LPG
- Helium (gaseous)
- Hydrocarbons
- Mineral Oils
- Diesel Fuel Oil
- Methanol
- Steam
- Aliphatic Solvents



Not for use on oxygen or portable water systems

Part No.	Container Size	Net Contents
CP250F	250 ml Plain-Top	850 g
CP250BT	250 ml Brush-Top	850 g
CP1L	1 Litre	3.6 kg
CP4L	4 Litre	11.3 kg



Non-Metallic Compound

- Non-Corrosive
- Prevents galling and seizing
- All-weather
- Available in plain and brush-top

Recommended for:

- Natural Gas
- Refrigerants
- Oils
- Water (hot, cold)
- Air (compressed, gaseous)
- Gasoline
- Hydrocarbons
- CO₂



Not for use on oxygen systems

Part No.	Container Size	Net Contents
NM250F	250 ml Plain-Top	340 g
NM250BT	250 ml Brush-Top	340 g
NM1L	1 Litre	1.2 kg
NM4L	4 Litre	5.0 kg
NM20L	20 Litre	25 kg
MT2	60 ml Tube	57 g

Pro Dope

- Non-toxic, non-corrosive, non-hardening white paste
- Seals both metal and plastic threaded connections

Recommended for:

- Natural Gas
- Refrigerants
- Hydraulic Oils
- Oils
- Castor Oils
- Acids (dilute)
- Caustic Alkalis (dilute)
- Water (hot, cold)
- Propane
- Inert Gases (gaseous)
- Ammonia
- Jet Fuels (JP4, 5, & 6)
- Heating Oils
- Alkalis (dilute)
- Petroleum Solvents
- Air (compressed, gaseous)
- Carbon Dioxide
- Manufactured Gases
- Kerosene
- Gasoline
- Brine

- Sugar (liquid)
- LPG
- Helium (gaseous)
- Mineral Oils
- Diesel Fuel Oil
- Steam
- Aliphatic Solvents



Not for use on oxygen systems, fluorine, liquid sodium

Part No.	Container Size	Net Contents
PD250BT	250 ml Brush-Top	340 g
PD500BT	500 ml Brush-Top	680 g
PD1L	1 Litre	1.2 kg
PD4L	4 Litre	5.0 kg
PD20L	20 Litre	25 kg



Master No Leak

- Specially formulated for water, air, steam, and most oils and gases
- Prevents galling and seizing of threaded connections

Not for use on oxygen systems



Part No.	Container Size	Net Contents
NL250F	250 ml Plain-Top	340 g
NL250BT	500 ml Brush-Top	340 g
NL1L	1 Litre	1.2 kg
NL4L	4 Litre	5.0 kg
NL20L	20 Litre	25 kg

Masters Orange T-Tape

- Seals all metal and plastic threaded joints
- High density, non-corrosive, non-flammable, clean and easy-to-use
- Impervious to most fluids and gases

Recommended for oxygen systems

Part No.	Size
TOB540V	1/2" x 540"
TOB1296	1/2" x 1296"



Masters Leak Detector

- Quickly locates pin hole leaks
- Non-freezing to -35° F (-37° C)
- Use on air and gas lines, tanks, cylinders, valves, fittings, tubing, piping, pressure, vessels, appliances, etc.

Not for use on oxygen systems

Part No.	Size
LD227	227 ml Applicator Bottle
LD4L	4 Litre Bottle



Masters White Thread Seal Tape

- Seals all metal and plastic threaded joints
- Non-corrosive, non-flammable, clean and easy-to-use
- Impervious to most fluids and gases

Recommended for oxygen systems

Part No.	Size
TWB480G	1/2" x 480"



Masters Scrubs In-A-Bucket Waterless Hand Cleaning Towels

- Works fast to loosen, dissolve and absorb dirt and greas
- Deep cleaning scrubbers remove embedded grime easily
- Conditions and softens hands

Part No.	Size
MS72	10 1/2" x 12 1/4"



Masters Soldering Paste

- Thick formulation
- Flows easily with heat
- Low Fumes

Part No.	Size
SP454	454 g Tub



Wire Brushes, Wooden Handel

- Highest quality available for cleaning copper fittings

Part No.	Brush Rows	Handel wire
WB3LS	3	Long handle, steel
WB4LS	4	Long handle, steel
WB4SS	4	Short handle, steel
WB4LSS	4	Long handle, Stainless steel



Masters Wire Solder

Lead Free: Highly workable, general purpose lead free plumbing solder which meets federal laws for portable water.

Tin/Antimony Lead Free: Designed for use in electrical or electronic conditions subject to peak temperatures of aprx. 400° F (204° C) and in sweating copper tube joints in refrigeration equipment

Tin Lead: General purpose solder for plumbing and sheet metal work



Part No.	Size
MWSLF25	2.5 kg Lead Free



Masters Grit Cloth

- 100% waterproof
- Ultimate for cleaning and polishing copper pipe, tubing and fittings



Part No.	Size
GC5	5 yards x 1-3/8"

Masters Economy Wing Nut Test Plug

- Expandable
- Fro both, cast iron and PVC pipe
- Made with light-weight steel and neoprene



Part No.	Size
TP5-11/2	1-1/2"
TP5-2	2"
TP5-3	3"
TP5-4	4"
TP5-6	6"

Masters Sand Cloth

- Water resistant for abrasive cleaning of metals of every kind



Part No.	Size
SC5	5 yards x 1-3/8"
SC25	25 yards x 1-3/8"

Masters Tube Cleaning Brush

- tough wire bristle
- Cleans O.D. of copper tubing



Part No.	Size
TC50	1/2"
TC75	3/4"
TC100	1"

Masters Heavy-Duty Fitting Brush

- Highest quality available for cleaning copper fittings



Part No.	Size
FB50HD	1/2"
FB75HD	3/4"
FB100HD	1"

Masters Acid, Flux and Pipe Dope Brush

- A black, natural horsehair bristle for even applications



Part No.	Size
AP50	1/2"

Keyed Drill Chucks

- All wearing parts are mad of case hardened steel for longer life
- For corded and cordless drills



For Power Tools - Reversible			
Part No.	Internal Thread	Weight Oz	Capacity
635 254 000	3/8" - 24 UNF	6	1/64" - 3/8"
635 252 000	1/2" - 20 UNF	6	1/64" - 3/8"
635 255 000	3/8" - 24 UNF	11	3/32" - 1/2"
635 250 000	1/2" - 20 UNF	11	3/32" - 1/2"
635 253 000	5/8" - 16 UN	21	1/8" - 5/8"
677 050 000	3/8" - 24 UNF	13	3/32" - 1/2"

Replacement Chuck Keys



Part No.	For These Chucks
635 177 000	77 040, 35 252, 77 050, 35 250
635 168 000	35 038, 35 253, 35 052
677 005 000	Fit 3/16" - 3/4" drill press chuck
677 003 000	Key holder

Masterlock® No. 1 Padlock

- 1-3/4" wide laminated steel body
- Hardened steel shackle
- Proprietary rustproofing finish



Part No.	<u>"A"</u>	<u>"B"</u>	<u>"C"</u>
#1LOCKKA	5/16"	15/16"	3/4"
#1LOCKKD			

Masterlock® No. 3 Padlock

- 1-9/16" wide laminated steel body
- Hardened steel shackle
- Proprietary rustproofing finish



Part No.	<u>"A"</u>	<u>"B"</u>	<u>"C"</u>
3D	9/32"	3/4"	5/8"

Masterlock® No. 5 Padlock

- 2" wide laminated steel body
- Hardened steel shackle
- Proprietary rustproofing finish



Part No.	<u>"A"</u>	<u>"B"</u>	<u>"C"</u>
#5LOCKKD	3/8"	1"	15/16"
#5LOCKKA			

Masterlock® Combination Lock

- Stainless steel outer case



Part No.	<u>"A"</u>	<u>"B"</u>	<u>"C"</u>
#1500LOCK	9/32"	3/4"	13/16"

Masterlock® No. 6121 Pro Series® Weather Tough® Dual Deadbolt

- 2-1/8" wide laminated steel body
- 5 pin tumbler cylinders
- Replaceable cylinders and shackles
- Exclusive keyway dust cover
- Boron alloy shackles



Part No.	<u>Size</u>
6121LOCK5/16	5/16"
6121LOCK3/8	3/8"
6121LOCK7/16	7/16"

Phillips Insert Bits



<u>Part No.</u>	<u>Size</u>	<u>Length</u>
PB11	#1	1"
PB21	#2	1"
PB31	#3	1"
PB12	#1	2"
PB16	#3	6"
PB22	#2	2"
PB32	#3	2"
PB13	#1	3"
PB23	#2	3"
PB33	#3	3"
PB14	#1	4"
PB24	#2	4"
PB34	#3	4"
PB16	#1	6"
PB26	#2	6"
PB36	#3	6"

Robertson Insert Bits

<u>Part No.</u>	<u>Description</u>
RB1	#2 x 1" Robertson Bits
RB32	#3 x 1" Robertson Bits
RB12	#1 x 2" Robertson Bits
RB16	#1 x 6" Robertson Bits
RB22	#2 x 2" Robertson Bits
RB32	#3 x 2" Robertson Bits
RB13	#1 x 3" Robertson Bits
RB23	#2 x 3" Robertson Bits
RB33	#3 x 3" Robertson Bits
RB24	#2 x 4" Robertson Bits
RB26	#2 x 6" Robertson Bits
RB36	#3 x 6" Robertson Bits



Magnetic Nut Setters

<u>Part No.</u>	<u>Description</u>
MAG14	1/4" Magnetic Nut Setter
MAG516	5/16" Magnetic Nut Setter
MAG38	3/8" Magnetic Nut Setter
MAG716	7/16" Magnetic Nut Setter



Magnet Bit Holder

<u>Part No.</u>	<u>Description</u>
MAGBH	Bit Holder c/w Ring



NUCO Mineral Wool

- Provides support for firestop compound
- Supplied in 25 lb. bales



<u>Part No.</u>	<u>Description</u>
MWB-24	Each bale contains (24psc.) 2" x 4" x 48"

GG-200 Gun Grade, Non-Slumping Fire Stop

- For wall & floor applications



<u>Part No.</u>	<u>Size</u>	<u>Style</u>	<u>Colour</u>
N200-36	300ml	Cartridge	Grey
N200-86	850ml	Cartridge	Grey
N200-76	17 litre	Pail	Grey

SL-100 Self Levelling Fire Stop

- For floor applications



<u>Part No.</u>	<u>Size</u>	<u>Style</u>	<u>Colour</u>
N100-36	300ml	Cartridge	Grey
N100-86	850ml	Cartridge	Grey
N100-76	17 litre	Pail	Grey

Nuflex Ultra Seal Consumer Foam Pressurized Can c/w Straw Applicator



<u>Part No.</u>	<u>Description</u>	<u>Size</u>
N70600	Low Expansion Polyurethane Straw Foam - 24 oz	311 ml

Nuflex 200 Paintable Silicone



<u>Part No.</u>	<u>Description</u>	<u>Size</u>
N20001	Paintable Silicone - White	300 ml

Nuflex 302 General Purpose 100% Silicone Sealant



<u>Part No.</u>	<u>Description</u>	<u>Size</u>
N30200	Clear	300 ml
N30201	White	300 ml
N30202	Aluminum	300 ml
N30203	Black	300 ml
N30204	Bronze	300 ml
N30205	Almond	300 ml
N30206	Grey	300 ml
N30207	Brown	300 ml
N30208	Translucent	300 ml
N30216	Mid Brown	300 ml
N30237	Maple	300 ml

Nuflex 302 High Temperature Silicone Sealant



<u>Part No.</u>	<u>Description</u>	<u>Size</u>
N30209	High Temperature - Red	300 ml

Nuflex 45600 Heavy Duty Construction Adhesive



<u>Part No.</u>	<u>Description</u>	<u>Size</u>
N45600	Plywood, Waferboard Metal, Concrete Paneling	311 ml

Nuflex 454 Multi-Purpose Adhesive



<u>Part No.</u>	<u>Description</u>	<u>Size</u>
N45400	Tub Surround Foam Board Adhesive	311 ml

**Natural Orange™
with Pumice
Grime Eater
Hand Cleaner**

- Contains aloe vera,
lanolin & pumice
- Orange scent



<u>Part No.</u>	<u>Size</u>	<u>Description</u>
25218	3.5 litre	Jug with pump

**GRIME EATER®
Natural Orange™
Hand Cleaner
Lotion**

- Contains aloe vera,
lanolin & natural
cleansing oils



<u>Part No.</u>	<u>Size</u>	<u>Description</u>
25218L	3.5 litre	Jug with pump

8" Rolls of Paper Towel

- Natural unbleached kraft material



<u>Part No.</u>	<u>Description</u>
PTN	Single roll

Wiping Rags

- Bale size is 25 lbs



<u>Part No.</u>	<u>Description</u>
RAGSM	Mixed colours
RAGSW	White cheeting

Single Fold Paper Towel

- Natural unbleached kraft material



<u>Part No.</u>	<u>Description</u>
PTF	Single bundle

8" Rolls of Paper Towel

- White



<u>Part No.</u>	<u>Description</u>
PTW	Single roll

Toilet Paper

- 2 Ply, white



<u>Part No.</u>	<u>Description</u>
TP	Single roll

Oil Absorbing Compound

- Supplied in a sturdy package



<u>Part No.</u>	<u>Size Lbs.</u>	<u>Size Kg.</u>
AB50LB	50	22

Polyethylene Film

- In clear colour
- Size 10' x 100'



<u>Part No.</u>	<u>Description</u>
10100H	Heavy Duty
10100M	Med. Duty

Sweeping Compound

- Green general purpose
formulation



<u>Part No.</u>	<u>Size Lbs.</u>	<u>Size Kg.</u>
SWEEP	50	22

Garbage Bags



<u>Part No.</u>	<u>Size</u>	<u>Weight</u>
GB3547	22" x 24"	Regular
GB4248HD	35" x 47"	Regular

Tarpaulins



<u>Part No.</u>	<u>Size</u>	<u>Colour</u>
TARP1015	10' x 15'	Orange
TARP1520	15' x 20'	White
TARP2030	20' x 30'	White
TARP3050	30' x 50'	White

**General Purpose
Lock-up Chain**
*Grade 30, Proof Coil
Bright Zinc Plated*



<u>Part No.</u>	<u>Chain Size</u>
CHAIN14	1/4"
CHAIN316	3/16"

Clevis Grab Hook

- Carbon steel
- Galvanized finish



<u>Part No.</u>	<u>Size</u>
CGH14	1/4"
CGH516	5/16"
CGH38	3/8"
CGH716	7/16"
CGH12	1/2"

Clevis Slip Hook


- Carbon steel
- Galvanized finish



<u>Part No.</u>	<u>Size</u>
CSH14	1/4"
CSH516	5/16"
CSH38	3/8"
CSH716	7/16"
CSH12	1/2"

Steel Lion Chain

- Max. working load of 70lbs
- .072 double loop wire design #4
- Zinc finish



<u>Part No.</u>	<u>Trade Size</u>	<u>Qty</u>
4LION	4	100
4LION250	4	250

Steel "S" Hooks #105

- For attaching accessories to chain
- Use in low working load limit application
- Overall length is 1 5/8"



<u>Part No.</u>	<u>Trade Size</u>	<u>Wire Size</u>	<u>Qty/Pkg</u>
76103	1 1/2"	.162	100

Quick Links

- Mild steel, plated



<u>Part No.</u>	<u>Size</u>
QL18	1/8"
QL316	3/16"
QL14	1/4"
QL516	5/16"
QL716	7/16"
QL38	3/8"
QL12	1/2"

Steel Jack Chain

- Max. working load is 47lbs



<u>Part No.</u>	<u>Trade Size</u>	<u>Finish</u>	<u>Pkg</u>
10TB50	10	Bright	50
10TB250	10	Bright	250
10TZ50	10	Zinc	50
10TZ250	10	Zinc	250

**Wire Rope
Thimbles**

- To serve as rope protection only
- No established load rating



<u>Part No.</u>	<u>Cable Size</u>
WRTH18	1/8"
WRTH316	3/16"
WRTH14	1/4"
WRTH516	5/16"
WRTH38	3/8"
WRTH12	1/2"

**Wire Rope Clips
Light Duty**

- Galvanized finish
- Not for overhead lifting applications



<u>Part No.</u>	<u>Cable Size</u>
WRC18	1/8"
WRC316	3/16"
WRC14	1/4"
WRC516	5/16"
WRC38	3/8"
WRC12	1/2"

Screw Pin Anchor Shackle

- Galvanized finish
- With "Golden Pin"



<u>Part No.</u>	<u>Size</u>
SP14	1/4"
SP38	3/8"
SP716	7/16"
SP12	1/2"

Oval Aluminum Cable Clamp



<u>Part No.</u>	<u>Cable Size</u>	<u>Stop Length</u>
OVC116	1/16"	5/32"
OVC332	3/32"	5/16"
OVC18	1/8"	5/16"
OVC532	5/32"	11/32"
OVC316	3/16"	11/32"

**Wire Rope
Galvanized**

- 7 x 19 cable construction style



<u>Part No.</u>	<u>Cable Size</u>	<u>Approx. Breaking Strength (Lbs)</u>
WRG18	1/8"	2000
WRG532	5/32"	28000
WRG316	3/16"	4200
WRG14	1/4"	7000
WRG516	5/16"	9800
WRG38	3/8"	14400

Pull String



Part No.	Length	Breaking Strength
M240	5250'	240 lbs
M240S	580'	240 lbs

Poly Rope "Hardware" Grade


• General purpose yellow rope on cardboard reels

Part No.	Dia.	Length ft/Coil	Breaking Strength Lbs
POLY316	3/16"	2125	700
POLY14	1/4"	1300	1100
POLY516	5/16"	975	1400
POLY38	3/8"	630	2200
POLY12	1/2"	335	4200
POLY58	5/8"	200	5900
POLY34	3/4"	125	8500



Masking Tape

• General purpose applications



Part No.	Size	Length
MT050	1/2"	55M
MT075	3/4"	55M
MT100	1"	55M
MT150	1 1/2"	55M
MT200	2"	55M
MT300	3"	55M

Poly Rope "Industrial" Grade

• Stronger than hardware grade
• Coiled in a bulk bundle
• Yellow rope with green tracer

Part No.	Dia.	Length ft/Coil	Breaking Strength Lbs
POLYHD14	1/4"	1200	1275
POLYHD38	3/8"	1200	3000
POLYHD12	1/2"	600	4400
POLYHD12	1/2"	1200	4400
POLYHD58	5/8"	600	6100
POLYHD58	5/8"	1200	6100
POLYHD34	3/4"	600	9900
POLYHD34	3/4"	1200	9900



Carton Sealing Tape



Part No.	Width	Length
TAPECL	2"	72 yd
TAPETGN	2"	72 yd


Tape Applicator



Part No.	Description
GUN1	2" Sealing tape gun

3/4" Rubber Tape

• In black colour



Part No.	Length	Case/Qty
TAPERUBBER	21'	100

Electrical & Colour Coding (Phasing) Tape

• 7.5 Mil. Black PVC, CSA Approved



Part No.	Size	Lbs.	Colour
888BLACK	3/4" X 66'		Black
888RED	3/4" X 66'		Red
888WHITE	3/4" X 66'		White
888BLUE	3/4" X 66'		Blue
888GREEN	3/4" X 66'		Green
888YELLOW	3/4" X 66'		Yellow
888ORANGE	3/4" X 66'		Orange
888BROWN	3/4" X 66'		Brown


Foil Tape



Part No.	Colour	Description
FOIL2	Silver	2" x 45yd
FOIL3	Silver	3" x 45yd

Filament Tape

• Reinforced with filaments
• 55m in length



Part No.	Width	Case/Qty
FILTAPE34	3/4"	48
FILTAPE1	1"	36

Duct Tape



Part No.	Colour	Description
DUCTS	Silver	2" x 55yd
DUCTY	Yellow	2" x 55yd
DUCTG	Green	2" x 55yd
DUCTW	White	2" x 55yd
DUCTR	Red	2" x 55yd
DUCTB	Black	2" x 55yd
DUCTS3	Silver	3" x 55yd

All Round Suspension Strap

- Sold in handy dispenser box
- 1/2" wide strap has 3/16" bolt holes
- 3/4" wide strap has 1/4" bolt holes and small holes



Part No.	Width	Length	Type
8010	3/4"	25'	Steel
8011	3/4"	25'	Copper
8022	3/4"	25'	Galvanized

Screw Hook

- Bright zinc plated finish



Part No.	Length	Wire Dia.	Pkg
SH5702	1-3/8"	.083"	100
SH5704	1-5/8"	.106"	100
SH5706	1-7/8"	.128"	100
SH5708	2-1/4"	.158"	100
SH5710	2-3/4"	.182"	100
SH5712	3-1/4"	.205"	100
SH5714	3-3/4"	.232"	50
SH5716	4-1/4"	.270"	50
SH5718	4-1/2"	.292"	50

Lag Screw Eye Bolts

- Bright zinc plated finish
- Sold in boxes of 10



Part No.	Thread Die.	Overall Length	Length Thread	EYE I.D.
LS5151	1/4"	3-3/4"	1-9/16"	1-9/16"
LS5152	1/4"	5"	1-9/16"	1-9/16"
LS5153	5/16"	4"	1-9/16"	1-9/16"
LS5154	5/16"	6"	1-9/16"	1-9/16"
LS5155	3/8"	4-1/2"	1-3/4"	1-3/4"
LS5156	3/8"	8"	1-3/4"	1-3/4"

Eye Bolts w/Nuts

- Bright zinc plated
- Sold in boxes of 10



Part No.	Thread Dia.	Thread Length	Thread Length	Eye I.D.
EB5102	3/16" x 2"	7/8"	9/16"	
EB5104	3/16" x 2-1/2"	1-5/8"	3/8"	
EB5106	1/4" x 2"	7/8"	9/16"	
EB5107	1/4" x 2-1/2"	1-3/8"	9/16"	
EB5108	1/4" x 3"	1-3/4"	9/16"	
EB5109	1/4" x 4"	2-3/4"	9/16"	
EB5110	1/4" x 5"	3"	9/16"	
EB5111	1/4" x 6"	3"	7/16"	
EB5112	5/16" x 3-1/4"	1-3/4"	11/16"	
EB5113	5/16" x 4"	2-1/2"	11/16"	
EB5114	5/16" x 5"	3"	11/16"	
EB5115	5/16" x 6"	3"	11/16"	
EB5117	3/8" x 4"	2-1/8"	7/8"	
EB5118	3/8" x 5"	3-1/4"	7/8"	
EB5119	3/8" x 6"	3-1/4"	7/8"	
EB5120	3/8" x 8"	3-1/4"	7/8"	

Pipe Sleeves



Part No.	Sleeve Dia.	Description
PIPES112	1 1/2"	Plastic
PIPES2	2"	Plastic
PIPES3	3"	Plastic
PIPES4	4"	Plastic
PIPES5	5"	Plastic
PIPES6	6"	Plastic
PIPES8	8"	Plastic
PIPES10	10"	Plastic
PIPES12	12"	Plastic

Heavy Duty Casters



Part No.	Wheel Size	Caster Type
RIGID4	4"	Fixed
SWIVEL4	4"	Swivel
SWIVEL4-BR	4"	Swivel w/brake
RIGID5	5"	Fixed
SWIVEL5	5"	Swivel
SWIVEL5-BR	5"	Swivel w/brake
RIGID6	6"	Fixed
SWIVEL6	6"	Swivel
SWIVEL6-BR	6"	Swivel w/brake